# ANALYSIS OF PARENTAL AWARENESS OF TOILET TRAINING SUCCESS IN CHILDREN AGED 1-3 YEARS

by Cek Turnitin

Submission date: 07-Mar-2023 03:03PM (UTC+0800)

Submission ID: 2031029439

File name: RENESS\_OF\_TOILET\_TRAINING\_SUCCESS\_IN\_CHILDREN\_AGED\_1-3\_YEARS.pdf (441.56K)

Word count: 5172

Character count: 25657

# ANALYSIS OF PARENTAL AWARENESS OF TOILET TRAINING SUCCESS IN CHILDREN AGED 1-3 YEARS

<sup>1</sup>Retno Palupi Yonni Siwi, <sup>2</sup>Ceystra Asmeranda Cahyaning Ciputri,

3Miftakhur Rohmah, 4Riza Tsalatsatul Mufida,5Nining Istighosah

12245 Midwifery Study Program, Faculty of Nursing and Midwifery Strada

Indonesia Institute of Health Sciences, Kediri, Indonesia

\*Corresponding Author: palupi.siwi@gmail.com

#### ABSTRACT

Background: The low success of toilet training in the community influenced the many mothers who do not train their children for chapters and bak in their place, as well as a lack of motivation from parents. The purpose of this study is the influence of parental awareness levels on the success of toilet training in children aged 1-3 years.

Method: The design of this study is observational with a cross sectional approach. The population is all parents of children aged 1-3 years using simple random sampling techniques obtained a sample of 33 respondents. Independent variables of prental awareness level and dependent variables of toilet training success, with the Mann Whitney test.

Result: The results showed that most of the respondents had a lesser level of awareness, which was 23 respondents (69.7%). And most respondents have the ability to toilet training late, which is 23 respondents (69.7%)

Analysis: The results of the analysis obtained p-value 0.000 smaller than  $\alpha = 0.05$ , then  $p \le \alpha$  so that H1 is accepted which means there is an influence on the level of parental awareness on the success of toilet training in children aged 1-3 years in The Village of Parakan Trenggalek.

Conclution: The level of parental awareness is able to increase the success of toilet training in children, because with the awareness of parents, parents want to motivate and train their children toilet training early on.

Keywords: Awareness, Parents, Success, Toilet Training

#### INTRODUCTION

Tollet training is an effort in training children to control BAK (Urination) and Defecation (Defecation) this ability must be carried out from an early age in the hope that the child is trained in controlling BAK (Urination) and DEFECATION (Defecation) at a predetermined place, and the child can reach the stage of ndirianism at this age (Rejeki., et al. 2019). This toilet training is taught to children ranging in age

from 24 to 36 months of age. This age is the right time to be taught toilet training (Jacob., et al. 2016).

According to WHO (2029) states that 58% of parents succeed in training toilet training when the child is 18 to 36 months old. And 42% of parents train toilet training when the child is more than 36 months old, so children have not succeeded in running toilet training when they 3 years old. According to data from the Ministry of Health of the Republic of Indonesia (2020) in

Indonesia, it is estimated that the number of children med 1-3 years is 21,628,363 people. According to the national Household Health Survey (SKRT), it is estimated that the number of toddlers who have difficulty controlling BAK (Urination) Defecation (Defecation) at the age of up to pre-school reaches 75 million children. Children who successfully run toileting 25% and 75% fail to run toileting. Pthere are children of preschool age (4-5 years) children who successfully run toileting 40% and 60% fail to run toileting (Kameliawati, F., et al. 2020).

Based on research in East Java province in 2020 as many as 36.67% of toddler age (18-36 months) who were fully cared for by their mothers succeeded in learning toilet training, while at the age of toddlers (18-36 months) who were taken care of were not fully cared for by their mothers, 63.33% of them were unsuccessful in learning toilet training. Trenggalek Regency in 2020 obtained children who received good instrumental support with good toileting skills, namely 35.7%; for good Instrumental support with sufficient toileting ability, namely 50.0% for instrumental support both with less toileting ability by 14.3%.

Based on the results of a preliminary study conducted by researchers in July 2021 in Parakan Trenggalek Village to 10 parents of children aged 1-3 years, it was found that 7 respondents (70%) said that their children still have the habit of urinating (BAK) and defecating (DEFECATION) in any place sometimes by wearing diapers because mothers rarely provide motivation or train about toilet training. Meanwhile, 3 respondents (30%) said their children still have the habit of wearing diapers at night because parents are lazy to take their children to the bathroom while urinating.

The success of toilet training conducted by mothers or babysitters is influenced by several factors, namely the factor of parents' knowledge of toilet training 69%, the factor of parental education towards toilet training 54%, and the factor of using diapers in children is still high at 78.3%. Where from the results of the study it was obtained that the percentage of respondents who behaved negatively was more who did not have toilet training. This is because mothers who are negative towards toilet training are not motivated to do toilet training because mothers think using pampers is more effective and instant.

There are several factors that can trigger the failure of toilet training including lack of family knowledge, family readiness and the readinessof children or mothers to teach the correct toilet training (Harahap, M., et al, 2021). If the family is looking for information about teaching the correct toilet training to the child, then the family will be ready or able to teach toilet training appropriately, properly and correctly. On the other hand, if the family does not want to find information about teaching toilet training correctly, it will have bad consequences on children, one of which is that children can be emotional and arbitra in daily activities (Syamrotul, 2015). The role of the family is very important for the child to teach the correct use of the toilet.

# METHODS

The design of this study is observational. This research is a quantitative research. The approach method used in this study is cross sectional. This study was conducted where all variables were taken only once. The population in this study was all parents of children aged 1-3 years in

Parakan Trenggalek Village as many as 132 people, using probability sampling techniques with simple random sampling obtained a sample of 33 respondents. It was then tested using the Mann Whitney Rank Test  $\alpha = 0.05$ . An

independent variable in this study is the Level of Parental Awareness. While the dependent variable is the Success of Toilet Training. The measuring instrument in this study used a questionnaire.

# RESULTS

Table 1. Frequency distribution of respondents by age of parents

Age of Respondents	Frequency	Present (%)
<20	3	.9,1
20 - 35	23	69,7
535	7	21.2
Sum	33	100,0

Based on table 1, it is known that most parents are aged 20-35 years, which is 23 respondents (69.7%).

Table 2. Frequency distribution of respondents by child's age

Child Age	Frequency	Present (%)	
13 - 24 months	23	69,7	
25 - 36 months	10	30,3	
Sum	33	100,0	

Based on table 2. it is known that most children aged 13 - 24 months, that is, by 23 respondents (69.7%).

Table 3. Frequency distribution of respondents by education

Education	Frequency	Present (%)
SD	4	12,1
5MP	19	57,6
SMA	7	21,2
Colleges/Academies	3	9,1
Sum	33	100,0

Based on table 3. It is Frown that most of the respondents were junior high school educated, which was 19 respondents (57.6%).

Table 4. Frequency distribution of respondents by occupation

Frequency	Present (%)
19	57,6
5	15,1
7	21,2
2	6.1
33	100,0
	19 3 7 2

used on table 4. It is known that most respondents work as housewives, which is 19 respondents (57.6%).

Table 5. Frequency distribution of respondents based on information about toilet training

Cet Informed	Frequency	Present (%)
Aiready	10	30,3
Do not	23	69,7
Sum	33	100,0

Based on table 5, it is known that most respondents never got information about toilet training, which was 23 respondents (69.7%).

Table 6. Prequency distribution of respondents based on sources of information about toilet training

Sources of Information	Frequency	Present (%)
Health Workers	4	40,0
Magazine	1	10,0
Radio/Television	2	20,0
Internet	3	30,0
5um	10	100,0

Based on table 6, it is known that almost health workers, which is 4 respondents half of respondents get sources of (40%), information about toilet training from

Table 7. Frequency distribution of respondents based on parental level of awareness

Parental Awareness Level	Frequency	Present (%)	
Good	6	18,2	
Enough	4	12.1	
Less	23	69,7	
Sum	33	100,0	

Based on table 7, it is known that most respondents have a lack of awareness, which is 23 respondents (69.7%).

Table 8. Frequency distribution of respondents based on the success of toilet training

Successful Toilet Training	Frequency	Present (%)
Succeed	10	30,3
Not Yet Successful	23	69.7
Sum	33	100.0

Based on table 8, it is known that most of the respondents whose children are in the category of not

having succeeded in toilet training, which is 23 respondents (69.7%).

Table 9. Cross-tabulation of parents' age with parents' level of awareness about toilet training in Parakan Trenggalek Village

	The second secon	
Age	Parental Awareness Level	Total

	Good	No.	Enough:	26	Less	26	N	367
<20 Years	.0	300	0	.0	3	9,1	3	9,1
20-35 Years	4	12.1	3	9.1	16	48,5	23	69.7
>39 Years	2	6,0	1	3,0	4	12.1	7	21.2
Total/N	6	18,1	4	12.1	23	69.7	33	100,0

Based on table 9, it is known that respondents aged 20-35 years have a lack of awareness level of 16 respoden (48.5%).

Table 10. Cross-tabulation of parents' age with successful toilet training in children aged 1-3 years in Parakan Trenggalek Village

Age	Successful Tollet Training					otal
	Succeed	1991	Not Yet Successful	96	N	%
<20 Years	0	0	3	9,1	-3	9,1
20 - 35 Years	7	21.2	16	48,5	23	69,7
>35 Years	3	9.1	4	12.1	7	21,2
Total/N	10	30.3	- 23	69.7	33	100.0

According to Table 10, it is known that respondents aged 20-35 years have children with the category of not having succeeded in toilet training, namely 16 respondents (48.5%).

Tabel 11. Cross-tabulation of children's age with successful toilet training in children aged 1-3 years in Parakan Trenggalek Village

Age	Successful Toilet Training				Total	
	Succeed	*	Not Yet Successful	1	N	3
13 - 24 months	0	0	-23	69,7	23	69,7
25 - 36 months	10	30.3	0.	.0	10	30,3
Total/N	10	30.3	23	69,7	33	100.0

Based on Table 11, it is known that toilet training, namely 23 respondents respondents with children aged 13-24 (69.7%).

months have a category of unsuccessful

Table 12. Cross-tabulation of education with parents' level of awareness about toilet training in Parakan Trenggalek Village

Education	à	Total						
	Good	%	Enough	(40)	Less	**	N	%:
SD	0	0	0	0	4	12.1	- 3.	12,1
SMP	0	0	0	0	19	57,6	39	57,6
5MA	.5	15,1	2	6.1	0	0	7	21,2
College	1	3,0	2	6.1	0	0	3	9,1
Total/N	6	18.1	- 4	12:2	23	69.7	33	100.0

Based on table 12, it is known that the less category, namely 19 respondents with a junior high school respondents (57.6%), education have a level of awareness in

Table 13. Cross-tabulation of education with the success of toilet traning in

145 Journal for Quality in Woman's Sealth(JQ900 |

children aged 1-3 years in Parakan Trenggalek Village

Education	Successful Toilet Training					Total	
	Succeed	5	Not Yet Successful	76	N	35	
SD	0	.0	4	12.1	4	12.1	
SMP	0	0	19	57,6	19	57,6	
SMA	7	21,2	0	0	7	21,2	
College	3	9.1	o.	0	3	9.1	
Total/N	10	30,3	23	69.7	33	100,0	

Based on table 13, it is known that category of not having succeeded in respondents with a junior high school toilet training, namely 19 respondents education have children with the (57.6%).

Information	Parental Awareness Level						Total	
	Good	%	Enough	(%)	Less	560	N	-54
Already	4	12.1	6	1.8.1	()	0:	10	30,3
Do not	0	0	0	0	23	69,7	23	69,7
Total/N	4	12.1	6.	18,1	23:	69,7	33	100,0

of parents about toilet training in Parakan Trenggalek Village.

Table 14. Cross-tabulation of Information with the level of awareness Based on table 14. it is known that respondents who never received information about toilet training had a

lack of awareness level, namely 23 respondents (69,7%).

Table 15. Cross-tabulation of information with the success of toilet training in children aged 1-3 years in Parakan Trenggalek Village

Information	Successful Toilet Training					Total	
	Succeed #		Not Yet Successful	76	N	**	
Already	10	30,3	0.	0	10:	30,3	
Do not	0	0	23	69,7	23	69,7	
Total/N	10	30.3	23	69.7	33	100.0	

Based on table 15 it is known that children with the category of not respondents who did not get having succeeded in toilet training, information about toilet training had namely 23 respondents (69.7%).

Table 16. The results of the analysis of the level of awareness of parents towards the success of toilet training in children aged 1-3 years in Parakan Trenggalek Village

<b>11</b>	Parent Behavior
Mann-Whitney U	,000
Wilcoxon W	276,000
With	4,590
Asymp. Sig. (2-tailed)	,000
Exact Sig. [2*(1-tailed Sig.)]	.000

Based on the results of the Mann- Whitney Test analysis above, a variable

140 Journal for Quality in Woman's Sealth(JQ900 |

p value = 0.000 < a (0.05), so that H0 is rejected and H1 is accepted which means that there is an influence on the level of parental awareness on the success of toilet training in children aged 1-3 years in Parakan Trenggalek Village.

### DISCUSSION

# A. Parental Awareness Level In Spilet Training

Based on the results of the study, it is known that most of the respondents in Parakan Trenggalek Village have a level of awareness that is less than 23 (69.7%).

A person's lack of awareness level will result in wrong knowledge, attitudes and actions as well. Consciousness is defined as a condition of being awake or able to understand as precisely as possible. Secondly, consciousness is defined as all the ideas, feelings, opinions, and so on that a person or group of people have. In addition, consciousness is defined as a person's understanding or knowledge himself and his existence (Viendyasari, M., 2019).

According to researchers the formation of consciousness can occur due to the presence of ideas, feelings, opinions that a person or group of people have. In addition, awareness also occurs because of a person's understanding or knowledge of himself and his existence.

The factor affecting the level of consciousness is the age of the parents. The results showed that most of the 23 respondents (69.7%) aged 20-35 years had a low level of awareness of 16 respondents (48.5%). According to (Yasin, Z., et al., 2019) with the increase of age a person will experience changes in physical and psychological aspects and this change occurs due to the maturation of organ function, in the psychological and mental aspects of a person's thinking nerves become more mature and mature so as to affect a

person's attitude in carrying out actions. According to researchers, age will affect a person's actions or attitudes, where the older a person is, the more mature knowledge will be in carrying out actions.

Another factor that affects the level of awareness is education, the results showed that most of the respondents were 19 (57.6%) junior high school educated. According to (Hernanta, R., et al., 2017) the lower a person's education, the more difficult it is to receive information and in the end there is less knowledge because knowledge greatly affects a person's attitude in an action. In addition, a person's level of education will affect the mindset in the development of the information obtained and affect the respondent's consciousness so that the level of awareness becomes less. If a person has a low level of education it will hinder the improvement of one's consciousness. According researchers the level of consciousness is closely related to education. Education affects the knowledge of a person's attitudes and actions so that the knowledge and insight gained is still low, where a person with low education will be less and less knowledgeable to determine good behavior.

The next factor that affects the level of awareness is having or never getting information about toilet training. From the results of the study, it showed that most of the respondents, a total of 23 (69.7%) had never received information about toilet training. According to (Wahyu, R., et al., 2014) obtaining information can accelerate a person to acquire new knowledge. By

providing information, it will increase people's knowledge, then knowledge will cause awareness and will eventually cause people to behave or have appropriate attitudes and actions because it is based on their own situation and not thoughts. Information is a form of stimulus that affects a person, both directly from the environment an indirectly. According to researchers, a person's knowledge can be influenced by whether or not the person is informed, the more a person gets information the more knowledge is gained.

# 

Based on the results of the study, it is known that almost all of the respondents in Parakan Trenggalek Village, a total of 23 (69.7%) have children in the category of not having succeeded in practicing toilet training.

According to (Emawati, D. 2021) In doing urination and defecation children exercises in requires preparation both physically. psychologically and intellectually, through these preparations it is hoped that children will be able to control defecation or urination on their own. And family support can also help increase the success of children's toilet training.

According to researchers, the success in toilet training can be known from parents' knowledge and children's readiness. That apart from the knowledge of parents, the readiness of children in terms of physicality affects the teaching of toilet training. If in terms of physique, the child is not ready to do toilet training, then parents must be patient until their child is fully prepared to do toilet training. And the success of toilet training is also influenced by family support. Not only

the parents, but also other family members. Because family support plays a fairly good role in the success of children's toilet training.

Another factor that affects the success of toilet training is the age of the parents. Based on the results of the study showed that most of the respondents were 23 (69.7%) aged 20-35 years. According to (Yasin, Z., et al, 2019) with the increase of age a person will experience changes in physical and Sychological aspects and this change occurs due to the maturation of organ function in the psychological and mental aspects of a person's thinking nerves become more mature and mature so as to affect a person's attitude in carrying out actions. According to researchers, age will affect a person's actions or attitudes, where the older a person is, the more mature knowledge will be in carrying out actions.

Another factor that affects the successof toilet training is the age of the child. Based on the results of the study showed that most of the respondents a total of 23 (69.7%) had children aged 13-24 months. According to (Sari., et al. 2020), toilet training is carried out on children aged 15-18 months, because the system is sufficiently developed and can already recognize signs from their bladder and abdomen. Children are also required to be able to control the muscles that open and close their bladder and anus. At the age stage of 18-36 months, the ability of the urethral sphincter to control the cravings and the ani sphincter to control the desire for detecation begins to develop, According to researchers, children's age will affect the success of toilet training. where the older the child is, the physical, psychological and intellectual readiness will mature. Because in reality what happens in the field of children after 1-2 years, they are still in the process of getting to know and practicing toilet training. They will start successful toilet training at the age of more than 2 years.

Another factor that affects the success of thet training is parental education, based on the results of research, most of the respondents of 19 (57.6%) have a junior high school education. According to (Hzmanta, R., et al, 2017) the lower a person's education, the more difficult it is to receive information and in the end there is less knowledge because knowledge greatly affects a person's attitude in an action. In addition, a person's level of education will affect the mindset in the development of the information obtained and affect the respondent's consciousness so that the level of awareness becomes less. If a person has a low level of education it will hinder the improvement of one's conscioumess. According researchers, the level of education of parents also determines success. The level of education affects the mother's knowledge of the application of toilet training, if the mother's education is low, it will affect the knowledge of the application of toilet training so that it affects how to train early the application of toilet training.

The next factor that affects the success of toilet training is having or never getting information about toilet training. Based on the results of the study, it showed that most of the respondents, a total of 23 (69.7%) never received information about toilet training. According to (Wahyu. R., et al., 20143 obtaining information can accelerate a person to acquire new knowledge. By providing information, it will increase people's knowledge, then knowledge will cause awareness and will eventually cause people to behave or have appropriate attitudes and actions because it is based on their own situation and not thoughts.

Information is a form of stimulus that affects a person, both directly from the environment an stindirectly. According to researchers, a person's knowledge can be influenced by whether or not the person is informed, the more a person gets information the more knowledge is gained.

## C. Effect of Parental Awareness Level on The Success of Toilet Training In Children Aged 1-3 Years

Results from table 16. it is known that most of the respondents had a lack. of awareness level of 23 (69.7%), of which 23 (69.7%) had children with the category of not having a problem I doing their toilet training. Hypothesis testing about the influence of parents' level of awareness on the success of toilet training in children aged 1-3 years in Parakan Trenggalek Village using the Mann-Whitney Test. The calculation results of the Mann-Warney Test test obtained a probability value (p-value) of 0.000 less than (alpha) = 0.07 Based on these criteria, it shows that the null hypothesis is rejected and statistically there is an influence between the level of parental awareness on the success of toilet training in children aged 1-3 years significantly.

A person's lack of awareness level will result in wrong knowledge, actions as well attitudes and Consciousness is defined as a condition of being awake or able to understand as precisely as possible. Secondly, consciousness is defined as all the ideas, feelings, opinions, and so on that a person or group of people have. In addition, consciousness is defined as a person's understanding or knowledge ofhirnself his existence and (Viendyasari, M. 2019).

Parents' awareness of training and motivating their children can help increase the success of toilet training. If the child applies toilet training properly and successfully, the child also receives the benefits of the toilet training. One of the developments that children have to go through is toilet training. The success of toilet training depends on the child and family, mother or father. Toilet training is an important aspect in the development of children during the toddler age and mustreceive parental attention in urination and defecation. One of the efforts made by parents to improve the readiness of toilet training in children is to use good parenting andminimize the use of diapers (Mail-

According to researchers the formation of consciousness can occur due to the presence of ideas, feelings, opinions that a person or group of people have. In addition, awareness also occurs because of a person's understanding or knowledge of himself and his existence.

A., et al. 2018)

The formation of increased awareness of parents in toilet training will be followed by the formation, change and ability of children in conducting toilet training. This is based on table 16. where most of the respondents had a lack of awareness about toilet training, namely 23 respondents (69.7%) where 23 respondents had not succeeded in toilet training.

The benefits obtained by parents by introducing children to get used to the bathroom when tubs and defecation are that children can be independent, children can control when they want to urinate or defecate, not wet the bed anymore. This can be done by means of natural exercises that can create a child's independence. The method or stage of introducing toilet training can be in a simple way and is easy for children to understand. 5

Based on the results of the study, several conclusions can be formulated according to thetu juan of the study, namely the level of awareness of parents about toilet training in Parakan Trenggalek Village, most of the respondents had a lack of awareness level, namely a total of 23 respondents (69,7%). And the success of toilet training in children aged 1-3 years in Parakan Trenggalek Village, most of the respondents had children with the category of not succeeding in toilet training, namely a total of 23 respondents (69.7%). So that there is avariable level of parental awareness of the success of foilet training in children aged 1-3 years in Parakan Trenggalek Village.

#### ACKNOWLEDGMENTS

We would like to thank the Parakan Trenggalek Village for allowed to do research in there.

#### REFFERENCE

#### CONCLUSION

Ernawati, D. (2021). The Relationship Between Children's Psychological Readiness, Parental Readiness and The Success of Tollet Training in Children Aged 1-3 Years At Posyandu Gunung Anyar Inge. Journal of Malang 6 (1), 19-26. https://scholar.google.co.id/scholar?start

### Toked related peMeSVu89F01 scholar goo Falocation And Development Vol. 9, No. 4, pp 767-772 https://journal.ipts.ac.id/index.php/ED/ article/view/3393

Hernanta, R., Istichomah., Lubis, D. (2017). The Relationship between Mother's Level of Knowledge about Toilet Training with Mother's Attitude in Child Toilet Training at Posyandu Mangga, Trimulyo Village, Bantul, Sa modra Health Journal of Sciences 5 (2), 197-203.

https://scholar.google.co.id/scholar?start =10&q=related.peMe5Vu89P0| scholar.goo gle.com/&hl=id&ns\_sdt=0,5#d=gs\_qabs&t =1661166328542&u=%23p%3DHuAV0D5\_ xOV|

Jacob, H., Grodzinski, B., & Caroline, F. (2016) Problems In The Healthy Child Toilet Training, Departmen of Pediatric, 101(4), 175-180. https://doi.org/10.1136/archdischild-2015-309883

Kameliawati, F., Armay, L., Marthalena, Y. (2020). The Success of Toilet Training in Toddler Aged Children is Reviewed Fromthe Use Of Disposable Diapers. Vol. 1. No. 2, 57 – 60.

https://ukinstitute.org/journals/1/makei n/article/view/1211

Mail, A., Romdzati, R. (2018). The Relationship between Parental Parenting and Toilet Training Readiness in Toddfer-Aged Children, Magna Medika: Scientific Periodicals of Medicine and Health 1 (5), 1-10.

https://scholar.google.co.id/scholar?start =20&q=related.peMr5Vu89F0[scholar.google.com/&hl=id&as\_sdt=0,5#d=gs\_qabs&t=1661166248883&u="23p=3Dlcylj\_MjCFwl ple.com/&chl=id&as\_sdt=0,5#d=gs\_qabs&d =1661166045820&cu==23p=3DT7stzKxuzs 41

Harahap, M., Coal, Y., Simamora, F. (2021).
The Relationship Of Maternal
Characteristics And Knowledge With Toilet
Training Independence In Toddler Age
Children (1-3 Years). Journal of
Rejeki, D., Yusnita, D., Rizkya, Hotmalina,
N., & Sumitri. (2019). Toilet Training Tips In
Toddler Children.
http://yankes.kemkes.go.id/read-tipstoilet-training-pada-anak-toddler7098.html

Sari, I., Ekawaty, F., Saputra, N. (2020). The Relationship Of Child Readiness With Successful Toilet Training in Toddler-Aged Children Scientific Journal of News Indonesia 1 (1), 24-34.

https://scholar.google.co.id/scholar?start =0&q=related:peMe5Vu89P0l/scholar.goog le.com/&hl=id&as\_sdt=0.5#d=gs\_qubs&t= 1661166431594&u=%23p%3Dw9kX9AdPru Ol

Syamrotul, I. (2015). Ari Overview of Mothers' Knowledge and Attitudes Before And After Being Given Health Education About Toilet Training for Children Aged 2-5 Years in Beji Village, Kedungbanteng Trict, Banyumas Regency, Vol 1, No Lhttps://www.jurnal.pollbura.ac.id/indec.php/medsains/article/view/39

Viendyasori, M. (2019). Analysis of Student Awareness Level of the Importance of Professional Certification. Vol. 1, No. 2. http://journal.vokastati.ac.id/index.php/j. abt/article/view/42

Wahyu, R., Arifah, S., Suryandari, D. (2014). The Effect of Health Education about Toilet Training for Children Aged 1-3 Years on Maternal Knowledge in Sambon Banyudono Boyolali Village Mammadiyah Surakarta bag universion https://scholar.google.co.id/scholar/hl=id&as.adt=0.265665 endid/scholar/hl=id&as.adt=0.265665 endid/scholar/hl=id&as.adt=0.2656665 endid/scholar/hl=id&as.adt=0.2656665 endid/scholar/hl=id&as.adt=0.2656665 endid/scholar/hl=id&as.adt=0.2656665 endid/scholar/hl=id&as.adt=0.2656665 endid/scholar/hl=id&as.adt=0.26566665 endid/scholar/hl=id&as.adt=0.26566665 endid/scholar/hl=id&as.adt=0

Yasin, Z., Aulia, N. (2019). Family Support. https://scholar.google.co.id/scholar?start on Toilet Training with Successful Toileting in Children Aged 1-6 Years in Paud Al Hilal Kabupatent Sumenep. Journal Of Health 1661166370191&cu\*%23p%3DHo2yRuyy9I Science (Jurnal Health Sciences) 4 (1), 11-29. cj

=0&q=related:peMe5Vu89P0]:scholar.goog le.com/Æhl=idikas\_sdt=0,5#d=gs\_qabs&t=

# ANALYSIS OF PARENTAL AWARENESS OF TOILET TRAINING SUCCESS IN CHILDREN AGED 1-3 YEARS

ORIGINALITY REPORT STUDENT PAPERS INTERNET SOURCES **PUBLICATIONS** SIMIL ARITY INDEX PRIMARY SOURCES scientiaresearchlibrary.com Internet Source Nining Mustika Ningrum, Lusianah Meinawati, Henny Sulistyawati. "The Effectiveness of Hypnoanastesi Methods in Reducing Perineal Laceration Suturing Pain And Postnatal Perineal Wound Healing", International Journal of Advanced Health Science and Technology, 2022 Publication www.tandfonline.com Internet Source Lina Oktalesmana, Zainal Munir, Wiwin Nursiam. "The effect of the modeling approach to enhance knowledge and skill of lactation management among primipara's mother", Jurnal Aisyah: Jurnal Ilmu Kesehatan, 2019 Publication

Monalisa Harnum, Ali Asmar, Yerizon, Fridgo 5 1% Tasman. "The influence of online learning barriers and students' learning independence on the learning outcomes of class VIII students of SMPN 1 V Koto Kampung Dalam", AIP Publishing, 2023 Publication sjik.org 1% Internet Source Muchsin Maulana, Dwi Rahmatun Handari, Septian Emma Dwi Jatmika, Hermin Sunarti. "Determinant Factors of Pneumonia among Toddlers", International Journal of Public Health Science (IJPHS), 2018 Publication repository.unikama.ac.id Internet Source repository.stikeshangtuah-sby.ac.id Internet Source

Sutrisni Sutrisni, Putri Wahyu Wigati, Nani Nita, Adisty Dwipayanti, Lilik Bopo Lelono. "The Effect of Health Education on the Level of Knowledge about Toilet Training in Mothers with Toddler Age Children (1-3 Years)", Journal for Quality in Public Health, 2022

jurnal.unw.ac.id

11	Internet Source	<1%
12	www.scribd.com	<1%
13	Submitted to International Islamic University Malaysia Student Paper	<1%
14	repository.upi.edu Internet Source	<1%
15	www.jurnal.polibara.ac.id	<1%
16	"Information Asymmetry, Audit Quality, And Institutional Ownership On Earnings Management: Evidence From Mining Companies Listed On The Indonesia Stock Exchange", International Journal of Engineering and Advanced Technology, 2019	<1%
17	ejurnal.bunghatta.ac.id	<1%
18	elibrary.tucl.edu.np	<1%
19	www.neliti.com Internet Source	<1%

20	Submitted to Quest International University Perak Student Paper	<1%
21	Riska Lestari, Ika Chastanti, Dahrul Aman Harahap. "Analisis Remedial Teaching Mata Pelajaran IPA di Sekolah Dasar", Jurnal Basicedu, 2021	<1%
22	Siti Lely Candra Kurniawati, Maria Ulfa.  "Perbedaan Penggunaan Daun Sirih terhadap Waktu Penyembuhan Luka Perineum", Jurnal Ners dan Kebidanan (Journal of Ners and Midwifery), 2015 Publication	<1%
23	www.w3counter.com	<1%
24	Submitted to Buffalo State College Student Paper	<1%
25	journal.ipts.ac.id	<1%
	Internet Source	

Exclude quotes On

Exclude matches

Off