

2nd International Conference on Healthcare and Allied Sciences

Focal Theme : Transformation towards Sustainable Healthcare

ABSTRACTS & PROGRAMME



Date : 26th and 27th September 2018 Venue : Grand Blue Wave Hotel, Shah Alam, Malaysia

> Organized by: LINCOLN UNIVERSITY COLLEGE DKUBIG(B) EXCELLENT WWW.lincoln.edu.my

Web: ichas2018.lincoln.edu.my | Email : ichas2018@lincoln.edu.my



2nd International Conference on Healthcare and Allied Sciences

Focal Theme : Transformation towards Sustainable Healthcare

ABSTRACTS & **P**ROGRAMME

Date : 26th and 27th September 2018 Venue : Grand Blue Wave Hotel, Shah Alam, Malaysia



Web: ichas2018.lincoln.edu.my | Email : ichas2018@lincoln.edu.my

International Advisory Board & Organising Committee (Key Members)

PATRONS

Prof. Datuk Dr. Hjh. Bibi Florina Abdullah Pro Chancellor, Lincoln University Collage

ORGANIZING CHAIRPERSON

Prof. Dr. Amiya Bhaumik Vice Chancellor, Lincoln University Collage

INTERNATIONAL ADVISORY BOARD

Dr. Amel Dawod Kamel Gudia Cairo University, Egypt

Dr. Amit Krishna De Indian Science Congress Association, India

Dr. Laurence L. Garcia Cebu Normal University Philippines

Prof. Dr. H. Salamun Sastra, Kolonel Polisi (PUR), Indonesia

Prof. Dr. Mohammed Elbagir Ali Elameen National Ribat University, Sudan

Prof. Dr. Sant Prakash Dayalbagh Educational Institute, Agra, India

Prof. Dr. Tapash Ranjan Saha, Institute of Management Study, Kolkata, India

LINCOLN ADVISORY BOARD

Prof. Datuk Dr. Abdul Gani Bin Mohammed Din Lincoln University College, Malaysia Dato (AMB) Mohd Yusoff A. Bakar Lincoln University College, Malaysia Prof. Dr. Mohd. Shahimi Mustapha Lincoln University College, Malaysia Dato Dr. Ghazali Hasni Bin Hj Md Hassan Lincoln University College, Malaysia Prof. Dr. Johari Surin Lincoln University College, Malaysia Assoc. Prof. Datin Dr. Hafizah Che Hassan Lincoln University College, Malaysia Assoc. Prof. Lee Siew Hoon Lincoln University College, Malaysia Assoc. Prof. Dr. Abhijit Ghosh Lincoln University College, Malaysia CONVENORS Tuan Haji Mansor Fenner Dr. Sandeep Poddar ORGANIZING SECRETARY Dr. Asita Elengoe Ms. Nor Yuliani bt. Yuhana



2nd International Conference on Healthcare and Allied Sciences

Focal Theme: Transformation towards Sustainable Healthcare

Place: Grand Blue Wave Hotel, Shah Alam, Malaysia

Date: 26th and 27th September 2018

Organized by: Lincoln University College, Malaysia

PROGRAMME SCHEDULE

26 th September 2018 (Wednesday)			
08:00-09:00	Registration		
09:00-10:00	Inauguration Function		
	Venue: Dewan Rebana I		
	Doa Recital: Dr. Idris Adewale Ahmed		
	Inaugural Address :		
	Datuk Dr. Hjh. Bibi Florina Abdullah		
	Pro Chancellor, Lincoln University College		
	Welcome Address :		
	Prof. Dr. Amiya Bhaumik		
	Vice Chancellor & CEO, Lincoln University College		
	&		
	Key Note Address:		
	Dato Dr. Ghazali Hasni bin Hj. Md. Hassan		
	Dean, Faculty of Medicine, Lincoln University College		
	Former Director of Hospital, Kota Bharu, Malaysia		
10:00-10:30	Tea Break		
10:30-11:00	Session I : Sustainable Healthcare		
	Chairman : Associate Prof. Datin Dr. Hafizah Che Hassan		
	Speaker		
	The Role of Universities: Poltekkes Surakarta in the Disaster Reduction Risk (DRR).		
	Mr. Widodo, MN		
	Dean of Nursing		
	Poltekes Kemenkes Surakarta, Indonesia		

International Conference on Healthcare and Allied Sciences, 2018

10	The Influence of Giving Honey on The Score Decreasing of Pain as The Result of Intravenous Blood Taking Action on Child at The Emergency Department of Hospital Cirebon City					
	Ayu Yuliani S					
	Tasikmalaya Health Polytechnic, Ministry of Health, Indonesia					
	Yeni Rustina; Nur Agustini					
	University of Indonesia, Ministry of Health, Indonesia					
11	The Influence of Assertive Training on TheAssessment of Self-Assertiveness of Early Adolescent Female Victims of Bullying in Junior High School 52 Bandung					
	Desi Sundari Utami					
	Prodi D III Keperawatan Poltekes TNI AU Ciumbuleuit Bandung, Indonesia					
	Suryani					
	Fakultas Keperawatan Unpad Bandung Indonesia, Indonesia					
	Nunung Nurjanah					
	Prodi S2 Keperawatan Stikes Jendral Achmad Yani Cimahi Bandung, Indonesia					
13	Eldawati Stikes Kharisma College, West Java Indonesia, Indonesia The Relationship Response Time of Acute Coronary Syndrome (ACS) and Status Alteration of Heart Rhythm at ACS Patiens In Emergency Department at Tk II Dr Soepracen Malang Hospital					
	Reart Rhythin at ACS Patiens in Emergency Department at TK ii Dr Soepraoen Malang Hospital					
	Health Science Institute of Surya Mitra Husada Kediri, East Java, Indonesia					
13:0	00-14:00 Lunch Venue : Rovale Songket					
14.0	00 15:20 Secsion III - Open neper Secsion - Sustainable Healtheare					
14.0	Venue · Dewan Rebana I					
	Chairman : Dr. Madhumitha Sen					
	Co-chairman: Mr. Ramesh Prasath Rai					
1	The Relationship of Attitude, Subjective Norms and Perceive Behavior Control and Implementation The Spiritual Needs of Patient by The Nurse in Intensive Care Unit, Dr. Dradjat Prawiranegara Hospital, Serang					

THE RELATIONSHIP RESPONSE TIME OF ACUTE CORONARY SYNDROME (ACS) AND STATUS ALTERATION OF HEART RHYTHM OF ACS PATIENT IN EMERGENCY DEPARTMENT AT TK II DR SOEPRAOEN MALANG HOSPITAL

Rahmania Ambarika, Novita Ana Anggraini

Lecturer of Healh Science Institute of Surya Mitra Husada Kediri, East Java, Indonesia Corresponding Author's Email: rahmania.ambar@gmail.com

ABSTRACT

The quickness of assistance handling in order to prevent disability or death due to a certain illness is called response time. The response time is necessary at emergency department for ACS (Acute Coronary Syndrome). This directly the heart rhythm. The aim of this recearch is to know the relationship between response time of ACS and heart rhythm status in emergency department at Tk II dr Soepraoen Malang hospital. Design in this research is deskriptif using Cross Sectional. Sampling technique used is Sampling Accidental by 15 respondents as samples. Data collection is by means of observations and medical records, then those data were tabulated and processed using Chi-Square. The result of this research shows that mainly respondents (53%), which are 8 respondents, were included quick in doing response time of arranging ACS patients by less than 10 minutes, while there were 8 (53%) whose improvement of heart rhythm. From Chi-Square test result, it was obtained P value <0.05 (a = 0.05). It means that there was significant relationship between response time and alteration of heart rhythm. The quick response time in handling ACS which is less 10 minutes significantly affected to the alteration of heart rhythm because by quick handling, coronary reperfusion will be normalized. This can be seen at EKG image of ACS patient.

INTRODUCTION

ACS depicts acute diseases with high morality and it is also an acute coronary as effect of ischemia miokard (Perki, 2015). Patient with ACS is one of cases found in emergency room. If a care of coronary syndrome patient is late, it can make mortality risk. This situation makes coronary heart attack the death diseases in the world. Because the care of response time is slow, it makes a change of heart rime or it makes patient EKG worse (Depkes RI, 2007).

According to American Heart Association (2014), in medical article of Herbalist states that based on research, every 34 seconds, one American gets heart attack. So, it can be concluded that every years, more than one million Americans suffer ACS. According to detik.com (2011), ACS attacks male patients 56%, higher than female do.

WHO data (2017) showed that heart attack and stroke are the main cause of mortality in the world. Its victims are 17.1 million people each year. In Indonesia, the mortality number of heart coroner patients is 7.6 million people each year, and 325 cases such as; heart attack patients passed away before arriving in hospital. It becomes sadder, because heart coroner attacks not only old man but also young men, under 40 years old (Republika, 2013).

Data released by Indonesian health minister in 2014 stated that a country with high capita income experiencing early mortality because of heart attack is 4%, while in low income country is 42%. The mortality caused by heart coroner and vena is predicted higher and higher until 23.3 million deaths in 2030.

The research result conducted by Aloysius, Wijaya, and Wulandari in dr. soetomo general hospital of Surbaya showed an evident that there were amount number of ACS patients in east-java province. It is stated in science and art journal (2015). Based on diagnose and symptom, it is estimated that the total number of ACS patients in east-java province is 375.127 patients or 1.3% of its population in Indonesia. Based on the fantastic patients, east-java province is in the highest level of ACS patient in Indonesia.

Based on medical report in dr. soepraun general hospital of Malang, the data, gotten in 2015, showed that patients with ACS case were 134 patients, while in 2016, it rose and became 163 cases. Based on data on February 2017, patients diagnosed ACS was 22 people. The previous study conducted on the first week in March 2017 in emergency room of dr. soepraun general hospital of Malang was found a data that 5 patients diagnosed ACS. The response time for the five patients some were late, and others were fast. It means that the time response of ACS patients in dr. soepraun general hospital of Malang is more than WHO standard, <10 minutes. The run-down of patient time response based on the observation conducted were: patients got first care in 9 minute, the second care was in 15 minutes, the third one was in 18 minutes, the forth one was in 15 minutes, and the last one was in 12 minutes. So, the result of EKG series could not recover normally if the response time was slow.

The care and response time for heart coroner patients must be fast and effective response. To prevent the slow care of heart coroner patients, it is applied the standard care of heart coroner

patients based on perki standard operational procedure. The standard limit of time response for ACS patients in emergency room is around 10 minutes from medical first aid until EKS report and early placing conducted. While the time allocation from first aid of medical care to reperfusion therapy is around 30 minutes if patients were indicated breast-ache in 12 hours with EKG visual found segment elevation of fixed ST. The next care is PCI intervention. If it is conducted by experienced team, it needs 120 minutes from first-aid of medical care. This care is not suggested for stuck artery for more than 24 hours after the symptom on patients indicated ACS (Perki, 2015).

The significant of response time of ACS patients determines the success of care to patient. The sooner of care, the bigger life chance patients have. The benefit of response time mechanism can determine the expanse damage of internal part of bodies especially coronary artery. Speed and accuracy of care to patients of ACS needs appropriate standard, so they can be cared soon and accurately. This care must be supported by increasing the medical facility, human resource and hospital management based the right and fixed standard (WHO, 2008).

The bad effect may occur when its care is more the standard. Patient will be in bad condition, so it can change the EKG, and can cause heart rhythm stop. It must be avoided to press the risk of patient mortality. Fast care can be the best solution in maximizing heart coroner and minimizing patients' complain. Therefore, the life possibility and physical disorder of patients can be minimized. (Perki, 2015)

Response time has significant role in the change of heart work be better. The maximal response time, it may make prescription and service better. It can affect positively to return heart rhythm stuck before, while patients are in heart attack. So, the chance of success in normalizing the heart work can be reached fast and maximally. Giving the right and fast therapy will fasten heart rhythm (Perki, 2015).

Based on the background above, researcher is interested in knowing more about response time of ACS, with heart rhythm status change to patients of CAS in emergency room of dr. soepraun general hospital of Malang.

METHODOLOGY

This research uses quantitative research method by applying cross sectional approach and its approach is by observation and point time approach. The population in this research is ACS patients in emergency room of dr. soepraun general hospital of Malang. The samples are all patients in emergency room of dr. soepraun general hospital of Malang visited during the research conducted from July 4 to August 30, 2017. They were 15 people. This research uses accidental sampling.

]

Based on the data gotten from the field, it is found that the tabulation of response time of ACS patients in dr. soepraun general hospital of Malang on July 4 to August 30, 2017 as follows in table 1:

Response Time		percentage	
Fast	8	53,3%	
Slow	7	47,7%	
Total	15	100%	

Table of Response Time of ACS patients

Based on table 1, it is found that most respondents, 8 respondents/53.3%, with fast response time 10 minutes.

The tabulation of status change of heart rhythm of ACS patients in emergency room of dr. soepraun general hospital of Malang on July 4 to August 30, 2017 as follows in table 2:

The fuble of fear they find change of thes purchas			
Н	eart Rhythm	Percentage	
Better	8	53,3%	
Stuck	7	47,7%	
Worse	0	0%	
Total	15	100%	

The table of heart rhythm change of ACS patients

Based on the data above, it is found that most respondents, 8 respondents/53.3%, with fast response time less than 10 minutes. The tabulation relation of response time of ACS patients and the status change of heart rhythm of ACS patients in emergency room of dr. soepraun general hospital of Malang on July 4 to August 30, 2017 as follows in table 3:

		J 1		0	
Response time		percentage	Change of heart rhythm		percentage
Fast	8	53,3%	Better	8	53,3%
Slow	7	46,7%	Stuck	7	46,7%
			Worse	0	0%
Total	15	100%		15	100%

Cross Tabulation between variable of response time and the change of heart rhythm

Based on the data above, it is found that most respondents, 8 respondents/53.3%, of status change of heart rhythm of ACS patients are better.

RESULTS

The result of statistics test of response time of ACS patients with status change of heart rhythm of ACS patient in dr. soepraun general hospital of malang, as follows:

Chi-Square Test

χ^2 hit	χ^2 tabel (df = 1; $\alpha = 0,05$)	symp sig. (2-sided)	note
11,429	3,841	0,001	Signifi
			cant

Based on the table above, it is known that Asymp.sig score (2-sided), (p value) < 5 is 0.001 so Ho is rejected while H1 is accepted. It means that there is significant correlation between variable of response time and heart rhythm change.

DISCUSSION

Based on the research result, it is found that response time of ACS patients with the status change of heart rhythm of ACS patient in emergency room of Dr. Soepraun general hospital of Malang shows that form 25 respondents, some of them, 8 respondents (53.3%) got fast response, less than 10 minutes while others, 7 respondents (46.7%), got slow response, more than 10 minutes.

ACS is an chronic heart situation where clinic application as the effect of Ischemia Miocard (Health minister of Indonesia, 2006). ACS is also cardiovascular main problem affecting to the high number of hospital treatment and mortality. It was strengthened by Smeltzer's opinion (2010), it was stated that ACS is the emergency condition because it can affect miocard if definitive intervention is not done immediately. ACS is an imbalance between oxygen supply and demand of heart (Rokaeni, 2001). The significance of response time to coronary heart patient determines the success of aid to the patient. The sooner the care, the bigger life chance they have (WHO, 2008).

Some factors influencing the response time care are knowledge, motivation, and nurse's ability in conducting response time (Mangkunegara, 2000).

Based on data gotten from the observation of 15 ACS patients in dr Soepraun of Malang, it was found that the care ran around 4 minutes up to 17 minutes. Response time lasted less than 10 minutes for 8 patients while the rest, 7 patients, were handled more than 10 minutes. The better change of heart rhythm happened on 8 patients and 7 others were in stuck condition. 8 patients received response time in emergency room for less than 10 minutes. 7 patients received response time more than 12 minutes to 17 minutes.

In handling and placing ACS patients, response time must be stressed and calculated because ACS patients must be cared soon because time determines the effect of care. Medical officials are demanded to do fast based on the procedure of PERKI, so that the result will be more maximal especially on the case of ACS. Mortality number can be minimized or prevented.

Berdasarkan hasil penelitian dan pembahasan hubungan antara respons time penatalaksanaan ACS (*Acut Coronary Syndrome*) dengan perubahan status irama jantung dapat disimpulkan sebagai berikut: Based on the research result and discussion, the correlation between response time of placing ACS patients and the status of heart rhythm can be concluded as follows:

- 1. From 15 respondents, most respondents (8 / 53.3%) got fast response time, less than 10 minutes, while 7 respondents (46.7%) got slow response time, more than 10 minutes.
- 2. From 15 respondents, most respondents (8 / 53.3%) got fast response time, less than 10 minutes, showed the significant change, while 7 respondents (46.7%) got slow response time, more than 10 minutes showed the stuck change.
- 3. The result of Chi-Square conducted to 15 ACS patients was gotten that 9 patients felt better on their heart rhythm, but 7 of them did not. 8 patients received fast response time, less than 10 minutes, and 7 patients received the response time more than 10 minutes, so it could be stated that there is correlation between response time and the change of heart rhythm of ACS patient in dr. soepraun general hospital of Malang.

SUGGESTION

Based on the conclusion above, the suggestions are:

1.For nurse

Nurse must increase their knowledge, quality, and skill in increasing the medical service / response time to patients, especially to ACT patients.

2.For dr. soepraun general hospital

To increase its staffs' knowledge, quality, and skill, the hospital management can recommend its staff to join seminar, workshop, and training related to cardiology cases.

3. for researcher

The research result is hoped that it can be the standard or reference for the further research, so it can be more useful for public service in geneal hospital especially in emergency room.

REFERENCE

Aaronson, Phillip, Ward, Jeremy (2010), Sistem Kardiovaskular. Edisi ke 3. Jakarta: Erlangga.

- Aloysius, Pingit. (2015). Analisis Survival pada Pasien Sindrom Koroner Akut di RSUD dr Soetomo Surabaya .
- Ceriello, A. (2005). Oxidative Stress, Insulin Resistance and Cardiovascular Disease. In: Byrne, C.D. & Wild, S. H. (eds.), The Metabolic Syndrome, USA: John Wiley & Sons, Ltd.
- Hidayati, H. (2014). Standar Pelayanan Kesehatan Pasien IGD di Rumah Sakit Umum ABdul Wahab Sjahranie Samarinda. Ejournal Administrasi Negara, 3, No 2

Kemenkes RI no 856. (2009). Standar IGD Rumah Sakit. Jakarta: Menteri Kesehatan.

Notoatmodjo, S. (2010). Metodologi penelitian Kesehatan. Jakarta: Rineka Cipta

- Nurhakim. (2015). Pengetahuan Perawat tentang Respons Time dalam Penangan Gawat Darurat, di ruang Triage RUD Karanganyar.
- Nursalam. (2013). Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan. Jakarta: Salemba Medika.
- Perki, (2015). Pedoman Tata Laksana Sindroma Koroner Akut edisi 3. Centra Communications.

R.I. Depkes (2006). Sistem Penanggulangan Gawat Darurat. Jakarta: Departemen Kesehatan.

- R.I. Depkes (2007). Undang-Undang Republik Indonesia No. 36 Tahun 2009 tentang Kesehatan. Jakarta: Departemen Kesehatan.
- WHO. (2008). Jantung Pembunuh No 1 di Dunia. (<u>http://regional.kompas.com). Diakses tgl 1-2-2017</u>
- Widodo. (2015). Hubungan Respon Time Perawat dalam Memberikan Pelayanan dengan Kepuasan Pelanggan, di IGD RS Panti Waluyo Surakarta. Skripsi tidak dipublikasikan.

Wikipedia, Acute Coronary Syndrome(https://id.wikipedia.org). Diakses tgl 7-2-2017

- Wilde E.T. (2009). Emergency Medical System Response Time Matter of Health Outcomes. Columbia University: New York.
- Wright. (2014). Epidemiology of Coronary Heart Disease. from patient.co.uk:(<u>http://www.patient.co.uk</u>). Diakses 1-2-2017.