

Plagiarism Checker X Originality Report

Similarity Found: 16%

Date: Thursday, October 01, 2020 Statistics: 589 words Plagiarized / 3680 Total words

Remarks: Low Plagiarism Detected - Your Document needs Optional Improvement.

ABSTRACT Affecting Factors of Community Preparedness at Disaster Prone Areas Kelud Mountain. Novita Ana Anggraini Lecture From Nursing Faculty Health Institute Of Health Surya Mitra Husada phitphita@gmail.com Speciality for disaster management needed to loss minimizing affected by its main disaster in preparedness phase.

Disaster Preparedness phase include community as initial subjects of disaster management as well as disaster victims till be able to manage disaster at certain limit and expected disaster do not develop to bigger scale. Purpose of the research is to know Affecting Factors of Community Preparedness at Disaster Prone Areas Kelud Mountain.

Design of the research used analytic descriptive desain with cross sectional approach. Sampel generated from 360 respondent used cluster sampling technique consisting of village officials, community leader, jangkar kelud community member, health worker and community member at Disaster Prone Areas Kelud Mountain.

Result of research data analized using logistic regression method and showed that contributing variable to preparedness is knowledge (OR 1,509; CI 95%), attitude (OR 1,127; CI 95%), nurses role (OR 1,076; CI 95%), and culture (OR 0,856; CI 95%). Information given to community will shape community attitude and behaviour facing disaster preparedness at Disaster Prone Areas Kelud Mountain because in behaviour shaping based knowledge till shape behaviour eternally.

Information spreading about disaster preparedness performed by nursing may do collaboration between nurses and jangkar kelud community through community radio so information spreading more comprehensive and targetted. Affecting factors of

community preparedness at disaster prone areas kelud mountain is role nursing, knowledge, attitude and culture.

Key Word : Preparedness, Disaster, Community

INTRODUCTION Indonesia is part of the path of the Pacific Ring of Fire which is a series of lines of active volcanoes in the world. In a study also showed that the cause of the disaster in Indonesia 60.66% of floods, landslides 63.11%, and 65.57% volcano. Higher percentage obtained volcano it is related to the position or location of Indonesia which is a region pacific ring of fire (Khairuddin, 2011).

Mount kelud (+ 1,731 m DPAL) is a strato volcano type which has a crater lake at its peak, located in the border region of Kediri, Blitar and Malang. According to data from the Center for Volcanology and Geological Hazard Mitigation in Bandung, eruption of Mount Kelud recorded history began in 1000 until 1990, the longest interval of intermittent breaks between 65-75 years and shortest 3 years.

In Indonesia the center of the disaster is BNPB as the giver of command in collaboration with public, private, and several related sectors including the government and the health sector. The role of the people here as well as perpetrators of early disaster victims must be able to handle a disaster within certain limits in order to prevent disaster into a larger scale.

NAP-DRR 2010-2012 explained that the new paradigm of the implementation of disaster management is directed to the concept of community-based disaster management. Implementation of disaster management-oriented empowerment and self-reliance through community participation, among others, will lead to disaster risk reduction efforts with communities in disaster-prone areas independently and avoid the emergence of a new vulnerability and dependence of communities in disaster-prone areas to outsiders. Karancy (2005) explains that something which can influence community preparedness in the face of disaster is the knowledge and behavior.

The importance of the knowledge society towards disaster preparedness aims to change people's behavior in order to be aware of the disaster. But people tend to be less active in the dissemination of disaster for reasons flurry by the job. Lack of public awareness of disaster preparedness will also influence the behavior of the community.

Another factor is the availability of health resources, the nurse on duty as educators to empower communities in disaster preparedness. Providing training to the community is also required which is associated with the training of community volunteers for casualty evacuation and rescue training and first aid (WHO, 2011).

Therefore, this study was conducted to determine factors - factors that affect the community in the face of disaster preparedness Kelud in Disaster Prone Areas Kelud. METHODS This study was observational analytic research with cross sectional approach

conducted in Disaster-Prone Areas Kelud Blitar in May-June 2013. The subjects were selected using cluster sampling where samples were people living around the mountain lava flow kelud.

Retrieving data using a questionnaire given to the people associated with factors that affect preparedness (the nurse's role, knowledge, attitudes and cultural) communities in the face of Kelud. A total of 360 samples were taken in six selected villages and villages through which the lava flows Kelud. Analysis of the data used to see the relationship between factors that influence (knowledge, behavior, culture, the role of nurses, nurse's knowledge and skills of nurses) and community preparedness in the face of a mountain disaster kelud then performed bivariate analysis.

Using a statistical test Chi-Square test if they meet and alternatively using Fisher's exact test with a confidence interval of 95% or p=0,05. As for the multivariate analysis using logistic regression statistical test with a confidence interval of 95% or p=0.05. RESEARCH RESULT In this study, the respondents were 360 ??respondents consisting of people living in disaster prone area I, disaster prone area II and disaster prone area III. It is gained from 360 ??respondents were 60 respondents (16.67%) lived in disaster prone area III, 120 respondents (33.33%) live in disaster prone area II and 180 respondents (50%) live in disaster prone area I.

Results obtained demographic data that the average age of the respondents 35 years and a minimum age of respondents 20 years. Characteristics of the sex of the 360 ??respondents, 269 respondents (74.72%) were male and 91 respondents (25.28%) were female. Based on the characteristics of the educational level of the 360 ??respondents the majority of respondents are junior high school graduates as many as 124 (34.44%) and a minority of respondent uneducated as many as 8 respondents (2.2%) it is also affected by economic conditions Disaster Prone Areas Mt. kelud.

Based on the characteristics of the 360 ??respondents earning an average income Rp. 500.000, - because the majority of people work as laborers on plantations and farmers. the average length of stay is based on the characteristics of long-stay community disaster prone area Kelud is 33 years so that people have experienced at least two times the eruption of Mount Kelud.

Data obtained information related to disaster preparedness community with the majority of people getting information from television that 151 respondents (41.94%), while for others that they get information from the local village officials that 17 respondents (4.72%) and total 4 (1.11%) never get information related to disaster preparedness.

Table 1 Analysis results Bivariat Variable _p-value _ _The role of nurse _0,004 _ _knowledge _0,000 _ _behavior _0,004 _ _culltural _0,007 _ _ Results of bivariate analysis to determine the relationship of each variable (the role of nurses, knowledge, attitudes and culture) towards community preparedness Kelud obtained their significance - each 0,004; 0,000; 0,004; 0.007 to p <0.05 which means there is relationship between the nurse's role, knowledge, attitudes and culture towards community preparedness p <0.25 at Chi-Square test.

Test results showed that in a sequence that affects community preparedness is knowledge (OR 1.509), attitude (OR 1,127), the role of nurses (OR 1076) and culture (OR 0.865). Table 2 Results of Multivariate Analysis Variabel _p _OR _ _The role of nurse _0,30 _1,076 _ _knowledge _0,01 _1,509 _ _behavior _0,01 _1,127 _ _culltural _0,22 _0,865 _ _ DISCUSSION The Relationship Between The Role of Nurse With Kelud Community Preparedness Results of the analysis showed that the nurse's role is primarily a community nurse can influence community preparedness of disaster-prone areas Kelud with the results of significant value 0,004 less than alpha (5%).

Researchers get the results of a survey related to the nurse's role in educating the public showed a majority of the nurse's role is less (62.2%). The theory of the formation of behavior according to Green one that is a supporting factor (enabling factors) in the formation of behavior is infrastructure and health resources.

Low role of nurses in providing education to the public will have an impact on the information received that could influence the knowledge and behaviors of society towards disaster preparedness. Efforts dissemination of information related to disaster preparedness is not only played by health professionals, but also played by non-medical personnel such as government or NGOs.

In the region there are Kelud community radio is a community radio anchor kelud an active role in the dissemination of information related to disaster preparedness volcanoes. The data obtained from the survey results relating to the public the information obtained in Disaster-Prone Areas Kelud majority of people get information through TV (41.94%) and radio (40.83%).

According Notoatmodjo (2010) health promotion method which is used if the target is public then it should use the method of mass health promotion. For public health promotion methods frequently used one of them the use of electronic mass media, such as radio and television. Efforts dissemination of data obtained proved that although the information obtained from the community health workers less but community

preparedness in the face of disaster preparedness has good (54.7%).

This research was supported by a study conducted by Runblad et al (2010) conducted on 1,000 respondents that use the radio to educate the public effectively to raise public awareness in the use of clean water in the floods. Relationship Between Knowledge With Kelud community preparedness Results of the analysis showed that the knowledge society can influence community preparedness of disaster-prone areas Kelud with the results of 0,000 p <0.05.

The study was supported by the results of research conducted on 100 respondents found that there is a relationship between knowledge and society in the face of disaster preparedness (Lakhsmi, 2007). Based on the theory of Lawrence Green et al (1980) knowledge is a predisposing factor in the formation of behavior. Knowledge in cognitive domain has 6 levels that know, understand, application, analysis, synthesis and evaluation (Notoatmodjo, 2010).

In this study the realm desired by the researchers is to know and understand the realm of disaster preparedness in the face of the mountain erupted. The material must be known and understood community with regard to disaster volcano is the type and characteristics of the hazard, early warning self-protection tool should be prepared community in case of volcanic eruption, volcanic eruption hazard material, sanitary water and evacuation route.

The knowledge gained by the society is also influenced by several factors such as socioeconomic, experience, education and age. Knowledge is very closely related to education, where it is expected that the higher education then that person will be more knowledgeable. The result showed that the educational level of the people living in Disaster-Prone Areas Kelud majority is graduated from junior high school (34.44%).

Economic status of a person will determine the availability of a facility that is required for certain activities, so that socio-economic status will affect a person's knowledge (Lukman, 2008). Results of this study found that the average income of people living in disaster prone area Kelud Rp. 500.000. Getting experienced before disaster events can also be a lesson for the public to be more careful and community preparedness in facing similar disasters.

The experience allows a person become aware and know the result is then called knowledge (Vardiansyah, 2008). The survey results are available to the public in Disaster-Prone Areas Kelud society obtained the average length of stay is 33 years. Relationship Between Behavior With Kelud Community Preparedness Results of the

analysis showed that behaviors can influence community preparedness of disaster-prone areas Kelud with the results of 0.004 p < 0.05.

Behavior is covered person's response to a stimulus or object, both internally and externally so that its manifestations are not directly visible, but can only be interpreted in advance of behaviors covered. Behavior in reality indicate suitability response to certain stimuli (Sunaryo, 2004). Based Rosenberg's theory known as the theory of affective-cognitive consistency in terms of behavior and this theory is also called two-factor theory is focused on the components of cognitive and affective components.

In terms of relation with the volcanic eruption disaster preparedness related to preparedness knowledge must be understood by the community in the process of the formation of community behaviors in the face of disaster volcano. The results show the percentage of behaviors and knowledge by results (41.9%) and (49.4%). Other studies related to people's behaviors in the face of floods in North Sulawesi were collected from 125 respondents showed that 48.61% of respondents have a positive behavior, while 51.39% have a negative behavior (Kumajas et al, 2012).

Relationship Between Culture With Kelud Community Preparedness Results of the analysis showed that culture can influence community preparedness of disaster-prone areas Kelud with the results of 0.007 p < 0.05. In the theory of Lawrence Green culture is one of the predisposing factors of the formation and behavior of a person who possesses or believe a certain confidence will affect their behavior in the face of a disease that will affect the health (Green, 2000).

Some people also see a different culture, culture is something that is simple and very meaningful in life include values ??- values ??that exist in society (Williams, 1961). Some cultures are still embraced by society Kelud is "Larung Saji ritual" that each year is still done by local residents is the main people who are in disaster prone area III which is close to the area Kelud. People assume that they should respect the ancestors to be given safety and lush natural grace.

The same study also found associated with the trust factor and superstition also gives an influence on the mindset and behavior of the people living around Mount Merapi eruption area. For people who live in the vicinity of the volcanoes, where the caretaker who becomes guardian of the volcano is still more trusted than the government even the choice of caretaker to remain in the area Kinahrejo (one of the areas affected by the eruption of volcanoes) is followed by many people around even the government ask the community for evacuation (Lavigne, et al., 2008).

Factors Affecting Community Preparedness Disaster Prone Areas Kelud From the analysis it was found that sequentially factors that influence community preparedness is knowledge (OR 1.509), behavior (OR 1,127), the role of nurses (OR 1076) and culture (OR 0.865). Based on the theory of Lawrence Green there is relationship between the role of nurses, knowledge, behaviors and culture in shaping the behavior of society in the face of disaster preparedness kelud mountain.

Health workers who are in community health centers is a nurse who has the task as educators is to promote the health of the community to empower communities in disaster preparedness through the organization or community development. Knowledge is the most important factor that effect on preparedness because based on the Lawrence Green theory, knowledge is a factor predisposing factors that facilitate or predispose the person's behavior. Or cognitive domain knowledge is very important for the formation of one's actions (overt behavior).

The results of experience and research that behavior based on knowledge will be more lasting than behavior that is not based on knowledge (Anwar, 2010). Thomas & Znaniecki (1920) in Anwar (2010) asserted that the behavior is the predisposition to do certain behaviors, so the behavior is not only the internal state of psychological pure of individuals (purely psychic inner state), but the behavior is more a process of awareness of the nature of the individual.

Another factor affecting the behavior is the behavior to the formation of culture. Unconsciously culture has instilled a steering line our behavior towards various issues. Culture has colored the behavior of members of the community, because of the culture that gives the experience of individuals in society (Anwar, 2010).

Therefore health personnel in charge of people's behavior in this case related to disaster preparedness. Kelud. As mentioned above that the behavior of the community is strongly influenced by socio-cultural in changing his behavior indirectly also social and cultural change (Notoatmodjo, 2010).

CONCLUSION

Factors affecting the community in the face of disaster preparedness volcanic eruption in Disaster-Prone Areas Kelud are knowledge, behaviors, the role of nurses and culture. SUGGESTION

it is required coordination between health workers with NGOs in the provision of education on disasters through community radio anchor Kelud in order to complete the dissemination of information and on target. For the future research, the cultural factors are expected to further research using qualitative methods as will be explored on the cultural aspects of the communities in disaster prone area Kelud. REFERENCES Arikunto, S. 2006. Prosedur Penelitian Suatu Pendekatan Praktik. Jakarta: Rineka Cipta Arifin M. H., 2007. Kesiapsiagaan Bencana Berbasis Masyarakat Strategi dan Pendekatan. Edisi Pertama: Jakarta Azwar. 2010. Teori dan Pengukuran Pengetahuan, Sikap dan Perilaku Manusia.

Yogyakarta: Nuha Medika Bakornas PB. 2007. Pengenalan Karakteristik Bencana dan Upaya Mitigasinya Di Indonesia. Jakarta Bella M., Steffy L., Marry A., Rhogen G., Jan H. 2011. The Role Preparedness and Management of Nurses During Disasters. International Scientific Research Journal: Philippines University BNPB. 2005. Pedoman Penyusunan Rencana Penanggulangan Bencana. Jakarta _____. 2008. Pedoman Penyusunan Rencana Penanggulangan Bencana. Jakarta _____. 2010.

Pedoman Umum Penyelenggaraan Rehabilitasi dan Rekonstruksi Pasca Bencana. Jakarta _____. 2012. Pedoman Umum Desa/Kelurahan Tangguh Bencana. Jakarta Burke, S., Jeffrey W, Bethel., Amber F B. 2012. Assessing Disaster Preparedness among Latino Migrant and Seasonal Farmworkers in Eastern North Carolina. California: Departement of Health Sciences California State University Carole C. J., Larosa, G., Carry A., Schoenfisch S. (2007).

The Role of Public Health Nurses In Emergency Preparedness and Response: University of Massachusetts Amherst Chapman K & Arbon, P. 2008. Disaster Preparedness in the Acute Setting. Australia: Flinders University Claudia and Frances. 2000. Community Health Nursing: Theory and practice 2nd ed: United States Dahlan, S. 2011. Statistik untuk Kedokteran dan Kesehatan. Jakarta: Salemba Medika _____. 2010.

Besar Sampel dan Cara Pengambilan Sampel. Jakarta: Salemba Medika Djauhari, N. 2011. Geologi untuk Perencanaan. Yogyakarta: Graha Ilmu Douglas, P., Jhonston, D. 2001. Disasters and Communities: Vulnerability, Resilience and Preparedness. New Zealand: Massey University Efendi, F M. 2009. Keperawatan Kesehatan Komunitas. Jakarta: Salemba Medika Greeg and Lopes, R. 2004. Volcanic Worlds: Volcanism in The Solar System. Praxis Press New York Green, L. 2000. Communication and Human Behaviour.

Prentice Hall, New Jersey Hammad K., Paul A., Kristinie M G. 2010. Emergency Nurse and Disaster Response: An Exploration of South Australian Emergency Nurses Knowledge and Perceptions of Their Roles in Disaster Response: College of Emergency Nursing Australia Hansell, A. 2004. Health Hazard fro Volcanic Gases: A Systematic Literature Review.

London: Department of Epidemology & Public Health London Hidayati, D.N. 2011. Kesiapsiagaan Tanggap Bencana Masyarakat Kecamatan Ngancar Kabupaten Kediri Terhadap Ancaman Erupsi Gunung Kelud. Surabaya IFRC-RCS. 2005. World Disaster Report: Focus on Information in Disasters. International Federation of Red Cross and Red Crescent Societies. Geneva Karanci, A N., Aksit, B.,

Dirik, G. 2005. Impact of a Community Disaster Awareness Training Program in Turkey:

Does it Influence Hazard – Related Cognitions and Preparedness Behaviors. Turkey:

Middle East Technical University Kadarsetia E., Primulyana S., Sitinjak P., Boyson S. U.

2006. Karakteristik Kimiawi Air Danau Kawah Gunung Api Kelud. Jurnal Geologi
Indonesia Khairuddin. 2011. Dampak Pelatihan Pengurangan Risiko Bencana Terhadap Kesiapsiagaan Komunitas Sekolah. Unsyiah Banda Aceh.

ISSN 2088-4532 Knebel, A S., Toomey, L., Libby, M. 2012. Nursing Leadership in Disaster Preparedness and Response. U.S Departement of Health and Human Services Kuntz S., Pamela F., Kristine Q., Linda Strong. 2008. Disaster Preparedness White Paper for Community/Public Health Nursing Educators. ACHNE Kumajas M., Zaenal K., Kliwon H., Jailani H. 2012.

Community Attitudes and Behavior and Its Influence Towards Social Impacts of Flood in TondanoRiver Estuary. International Journal of Civil & Environmental Engineering Lakhsmi. 2007. A Study to Assess The Knowledge About Disaster Preparedness Among Inhabitans in A Selected Urban Area. Departement of Community Health Nursing.

Bangalore Langan, J C and Dotti C J. 2005. Preparing Nurses for Disaster Management: Saint Louis University School of Nursing Lavigne, F., Thouret J.C., Voight B., Suwa., Sumaryono A. 2000. Lahars at Merapi Volcano Central Java: an overview Journal of Volcanology and Geothermal Research Vol 1 Notoatmodjo, S. 2010. Metodologi Penelitian Kesehatan. Jakarta: Rineka Cipta _____. 2003. Pendidikan dan Perilaku Kesehatan. Jakarta: Rineka Cipta _____. 2007.

Promosi Kesehatan dan Ilmu Perilaku. Jakarta: Rineka Cipta Oktarina, R. 2008. Pemetaan Sistem Informasi Logistik Dalam Penanggulangan Bencana di Indonesia. http://journal.uii.ac.id/ Priyanto, A. 2006. Promosi Kesehatan Pada Situasi Emergensi. Edisi 2, Jakarta Renas PB. 2010. Rencana Strategis Badan Nasional Penanggulangan Bencana. 2010-2014. Jakarta RAN PB. 2006. Rencana Aksi Nasional Pengurangan Risiko Bencana. 2006 – 2009. Jakarta Rundbald, G., Olivia K., Paul R H. 2010.

Communication, Perception and Behaviour During a Natural Disaster Involving a 'Do

Not Drink' and a Subsequent 'Boil Water' Notice: a Postal Questionnare Study. BMC Public Health Rukaesih A. 2004. Kimia Lingkungan. Yogyakarta Sastroasmoro, S. 2011. Dasar – Dasar Metodologi Penelitian Klinis. Jakarta: Sagung Seto Scott W.E. ., R. M Iverson., S.P. Schilling., Fisher V. 2000. Volcano Hazard in the Three Sisters Region, Oregon. U.S. Geological Survey Schein, E.H. 2004.

Organizational Culture and Leadership-3rd Edition. Jossey Bass, San Fransisco Sugiyono. 2012. Metode Penelitian Pendidikan. Bandung: Alfabeta Susan and Sharon. 2010. Public Health Nursing and the Disaster Management Cycle: American Red Cross Sunaryo. 2004. Psikologi Untuk Keperawatan. Jakarta: Buku Kedokteran EGC Sutikno, B. 2001. Vulkanologi. Yogyakarta: Sekolah Tinggi Teknologi Nasional Yogyakarta Triutomo, Sugeng. 2007. Pengenalan Karakteristik Bencana dan Upaya Mitigasi di Indonesi.

Jakarta:Edisi II, Bakornas PB Twigg, J. 2009. Characteristic of a Disaster Resilient Community. University College London Udayangani, Kulatunga. 2010. Impact of Culture Towards Disaster Risk Reduction. Salford UK: The University of Salford UN/ISDR. 2004. Living With Risk: A Global Review of Disaster Reduction Initiatives. Geneva: United Nations, International Strategy for Disaster Reduction Vardiansyah, Dani. 2008. Filsafat Ilmu Komunikasi Suatu Pengantar.

Jakarta: Indeks Veenema, T G. 2006. Expanding Educational Opportunities in Disaster Response and Emergency Preparedness for Nurses. New York: University of Rochester School of Nursing VUSSC. 2005. Introduction to Disastre Management. Virtual University for Small States of The Commonwealth Version 1 WHO. 2011. Regional Case Study on Role of Nurses and Midwives in Emergencies and Disasters.

Regional Office for South – East Asia

INTERNET SOURCES:

5% - http://repository.ub.ac.id/157190/

<1% -

https://www.researchgate.net/publication/340436903_The_Effect_of_Family_Resilience_t owards_Household_Disaster_Preparedness_in_Coastal_Coast_District_of_Sumur_Banten

- <1% https://www.sciencedirect.com/science/article/pii/S0377027319304184
- <1% https://volcano.si.edu/volcano.cfm?vn=263350

1% -

https://www.ilo.org/sector/Resources/publications/WCMS_741655/lang--en/index.htm

- <1% https://www.unisdr.org/2004/wcdr-dialogue/t1-dialogue.htm
- <1% https://iopscience.iop.org/issue/1755-1315/145/1

- <1% https://www.europepmc.org/articles/PMC4785638/
- <1% https://www.sciencedirect.com/science/article/pii/S2213624X18303201

<1% -

https://www.researchgate.net/publication/303283493_Destination_Perception_and_Loyal ty_Exploring_the_Difference_between_Local_and_Foreign_Tourists

- <1% https://habitat.ub.ac.id/index.php/habitat/article/download/283/258
- <1% http://commdocs.house.gov/committees/science/hsy24463.000/hsy24463_0.htm
- <1% https://www.townofcortemadera.org/678/Disaster-Preparedness-Information
- <1% https://www.nap.edu/read/10548/chapter/5

<1% -

https://degree.astate.edu/articles/nursing/the-role-of-nurses-and-nutrition-in-healthy-patients.aspx

<1% -

https://www.researchgate.net/publication/235315913_Tsunami_public_awareness_and_d isaster_management_system_of_Sri_Lanka

- <1% http://currents.plos.org/disasters/index.html%3Fp=22476.html
- <1% https://journal.unnes.ac.id/nju/index.php/phpj/article/download/17460/8882

<1% -

https://www.researchgate.net/publication/237094566_Cheating_Breakup_and_Divorce_Is _Facebook_Use_to_Blame

- <1% http://digilib.uinsqd.ac.id/6294/4/4_bab1.pdf
- <1% https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6851582/
- <1% https://repository.ugm.ac.id/cgi/exportview/year/2015/DC/2015.txt
- <1% https://elearn.fnu.ac.fj/mod/resource/view.php?id=75153
- <1% https://www.iedunote.com/job-satisfaction-components

<1% -

https://www.researchgate.net/publication/324955116_School_Preparedness_toward_Kelud_Eruption_Hazard_Case_Study_on_Kelud_Disaster_Prone_Area <1% -

https://www.researchgate.net/publication/326535377_Dole-Dole_Tradition_in_Health_Se eking_Behavior_of_Buton_Society_Southeast_Sulawesi

 $<\!1\%$ - https://slatestarcodex.com/2015/04/08/no-clarity-around-growth-mindset-yet/ $<\!1\%$ -

https://www.researchgate.net/publication/256980412_Lessons_learned_from_the_2010_e vacuations_at_Merapi_volcano

<1% -

https://www.encyclopedia.com/places/australia-and-oceania/pacific-islands-political-geography/papua-new-guinea

- <1% https://www.sciencedirect.com/science/article/pii/S0048721X09001237
- <1% https://core.ac.uk/download/pdf/198495118.pdf

```
<1% - https://www.sciencedirect.com/science/article/pii/S1359178918300016
```

<1% - https://pustakadaftar.blogspot.com/2012/03/daftar-pustaka-kesehatan.html <1% -

https://www.researchgate.net/publication/315732141_Emergency_and_Disaster_Prepare dness_in_Nurses_A_Concept_Analysis

<1% - http://digilib.uinsby.ac.id/18972/10/Bab%202.pdf

<1% -

http://repository.usu.ac.id/bitstream/handle/123456789/37269/Reference.pdf?sequence =2&isAllowed=y

<1% - https://onlinelibrary.wiley.com/doi/full/10.1111/j.1748-0361.2008.00134.x

<1% -

https://www.huffpost.com/entry/harvey-public-health-impact_n_59a42136e4b06d67e33 913a6

<1% -

https://www.researchgate.net/publication/280103719_Emergency_nurses'_experience_of _crisis_A_qualitative_study

<1% - http://u.lipi.go.id/1380347664

<1% - https://www.researchgate.net/profile/Karen_Hammad

<1% - https://www.sciencedirect.com/science/article/pii/S0143622814000265

<1% -

https://www.scribd.com/document/392034812/Anzdoc-com-Campbell-Neil-a-Dkk-Biologi-Edisi-Kedelapan-Jilid

<1% - https://search.informit.com.au/browsePublication;issn=1324-1540;res=IELHSS

<1% - http://www.itobiad.com/tr/issue/27443/290145

<1% - https://www.nhlbi.nih.gov/health/educational/wecan/downloads/toolkit.ppt

<1% -

https://www.researchgate.net/publication/257069038_Community_Attitudes_and_Behavior_and_Its_Influence_toward_Social_Impacts_of_Flood_in_Tondano_River_Estuary_Indonesia

<1% - http://www.ipublishing.co.in/jcsindex.html

<1% -

http://yadda.icm.edu.pl/yadda/element/bwmeta1.element.baztech-5d19f6aa-431b-40f6-9e68-69fcf77cce51

<1% -

http://digilib.unimus.ac.id/files/disk1/149/jtptunimus-gdl-giantining-7434-5-daftarp-a.p df

<1% -

https://bmcpublichealth.biomedcentral.com/track/pdf/10.1186/1471-2458-10-641?site=bmcpublichealth.biomedcentral.com

<1% -

https://www.doi.gov/sites/doi.gov/files/migrated/pam/programs/chargecard/upload/cy 17_all_doi_purchase_cardholders.xlsx

<1% - https://www.scribd.com/document/405070493/ebp-undip-pdf

<1% -

https://docobook.com/laporan-tahunan133b309503c07b98ee20799db02d104852516.html

<1% -

https://authorzilla.com/AbWOD/download-university-of-salford-institutional-repository.

<1% - https://www.science.gov/topicpages/d/disasters+regional+initiatives.html <1% -

http://www.hpoe.org/HANYS/2012/HANYS12--Highland%20Hospital%20of%20Rochester--RRT.pdf

<1% -

https://www.researchgate.net/publication/257313682_Disaster_Preparedness_among_the_Resident_Community-_A_Case_Study_of_Rajiv_Gandhi_University_Itanagar_India <1% - https://www.un.org/en/sections/where-we-work/asia-and-pacific/