



Plagiarism Checker X Originality Report

Similarity Found: 9%

Date: Monday, March 09, 2020

Statistics: 249 words Plagiarized / 2788 Total words

Remarks: Low Plagiarism Detected - Your Document needs Optional Improvement.

The 2nd Joint International Conferences | <http://proceeding.tenjic.org/jic2> | ISBN: 978-602-5842-03-0 770 The Analysis of Hand Washing Behavior Observed from the Knowledge and Attitudes in the Emergency Unit of Mokopido Toli Toli Hospital Agusta Dian Ellinaa,1,* , Aprin Rusmawatia,2, Alfian Fawzia,3 a STIKes Surya Mitra Husada Kediri 1 agustadian85@gmail.com*; 2 akbaraprin@gmail.com; 3 alfiansensei727@gmail.com * Corresponding author A B S T R A C T Keywords: Nurse knowledge Nurse attitude Handwashing behavior A hand washing properly is one way to reduce the transmission of nosocomial infections. In performing handwashing officers should use proper hand hygiene guidelines and implement them effectively.

refers to the rules and procedures of the Committee for the Prevention and Control of Infection (KPPI) in RSUD Mokopido Toli-toli found many irregularities that occur every before and after taking action on the patient nurses are required to wash septic / aseptic hands first using soap and running water as well as handrub and handscoen but not all officers so that the incidence of nasokomial infection in patients can occur.

The design used in this research is the quantitative research of observational design with the approach used is Cross Sectional. The population in this study were all nurses who served in the room IGD RSUD Mokopido Tolitoli which amounted to 23 people, The sample in this study is all nurses installed emergency room RSUD Mokopido Tolitoli which amounted to 23 people with total sampling technique.

Data collection of questionnaire check list sheets were then analyzed using ordinal regression statistical test. The result of this research shows that there is influence of knowledge on handwashing behavior of nurse in terms of knowledge and attitude in Emergency Instantiation of MokopidoTolitol General Hospital with p- vale .00<a 005

Hoisrec he results of the study are expected to motivate nurses to improve the attitude of nurses at the emergency department of RSUD mokopidoTolitol.

Copyright © 2018 Joint International Conference All rights reserved I. INTRODUCTION
The handling of nosokomial infection mainly pointed on the solving acts. The nurses have a big role on the nosokomial infection, because the nurse interacts directly to the patient 24 hours (RSPI Sulianti Saroso, 2007). The nurses have an important role and do the nursing standard procedures. The nurse who has a duty and big responsible is an emergency units nurse.

Besides do their jobs in the giving of the services to the all of cases, the emergency unit nurse, should have more knowledge than the nurse in the other rooms. In the other hand, the emergency unit nurse should have the knowledge, skill, and they need to join the coaching to support their works in handling the patients quickly and accurately. (Kurnianingsih, 2013).

Based on Sumurti (2008) in Priandika (2015), the aim of hand washing is to lift the micro-organism on the hands, avoid the cross infection, keep the sterile condition; keep themselves and patients, visitors and environments. The hand washing procedure is done before do the contact to the patients, after the contact to the environments. Based on the literature study, it known that the using of handsrub is more effective in sterilize the hands from the agent causing the infection than using the hand soap commonly.

The 2nd Joint International Conferences | <http://proceeding.tenjic.org/jic2> | ISBN: 978-602-5842-03-0 Vol. 2, No. 2, July 2018, pp.

770-776 771 The correct hand washing is one of the methods to reduce the transmission nosokomial infection. By the hand washing, the staffs must use the hand washing correct guidance and implements effectively. In this case, is appropriate with the Standard operational procedure.

The standard operational procedures based on the health department (2007) are the process of impurity release by using the common soap and water. Five moments in hand washing, when: before make a contact to the patients, before doing the aseptic, after touch the liquid of the high risk body patients, after make a contact with the patients, after touch the environments of the patients (WHO, 2009).

Based on the result of the survey in the Mokopindo Toli Toli Hospital on 15th January 2017, to the five nurses on the morning shift, it was known that from the eleven patients who come to the emergency unit, the nurses do the hand washing use the handsrub, then use handscoen then give the acts to the four patients. But, before the acts to the

other eighth patient, started from the fifth then moved until the eleventh patients, the nurse is not do the hand washing before, and still use the same handscoen when they do the acts at the beginning.

When looked to the rules and the procedure of handling and infection holding committee (KPPI) in Mokopindo Toli Toli hospital, the nurse should do the hand washing before and after do the acts to the patients, by uses the soap on the flowing water, handsrub, or handscoen. So, the nosokomial infection on the patients is able to solved. the objective of the research is to know the the effects of the knowledge and attitude by hand washing of the nurse in doing the nursing acts in emergency unit of Mokopindo Toli Toli Hospital. II. METHOD This research is Quantitative research, it uses Observational design by Cross sectional approach.

The population of the research is the entire nurses in emergency unit of Mokopindo Toli Toli hospital. The sampling technique uses total sampling 23 respondents. the instrument of the research uses questionnaire sheets and the observational sheets. The data nalysis uses statistic test regresi ordinal. The 2nd Joint International Conferences | <http://proceeding.tenjic.org/jic2> | ISBN: 978-602-5842-03-0 Vol. 2, No. 2, July 2018, pp. 770-776 772 III.

RESULT The characteristics of the subject Tabel 1. the characteristics of respondents in this research is about ages, sex, education, staff status, duration of working, knowledge, behavior and attitudes. No Characteristics SN S% 1 Ages <25 26-30 31-35 36-40 41-45 >45 6 8 4 2 2 1 26,1 34,8 17,4 8,7 8,7 4,3 2 Sex Male Female 14 9 61 39 3 Education Nursing bachelor 23 100 4 Staffs status PNS Honorer 12 11 52 48 5 Work duration <3 years >3 years 19 4 74 26 6 Knowledge Good Fair Less 7 15 1 30,4 65,2 4,3 7 Attitude Good Fair Less 2 16 0 30,4 69,6 0 8 Behavior Not Obedient Obedient 19 4 74 26 Total 23 100 Based on the table 1, it is known that from the total of 23 respondents on age of under 26 -30 years old is eight respondents (34,8%), male respondents is fourteen respondents (60,9%)m all the education background is nursing bachelor, some of the staffs status is state respondents (74%) has the knowledge in the category of fair is 15 respondents (65,2%) has the fair category is 16 respondents (69,6%) and for the category of not obedient is 19 respondents (82,65). The 2nd Joint International Conferences | <http://proceeding.tenjic.org/jic2> | ISBN: 978-602-5842-03-0 Vol. 2, No. 2, July 2018, pp. 770-776 773 Table 2.

The result of statistic test by ordinal regression test is known that the influence of knowledge and attitude by hand washing behavior of nurse in emergency unit of Mokopido Toli Toli hospital, as below: Estimate Std. Error Wald Df Sig. Threshold Location [Behavior = ,00] 19.883 .823 583.590 1 .000 [Knowledge=1,00] 18.329 1.293

200.923 1 .000 [Knowledge=2,00] 17.829 .000 . 1 . [Knowledge=3,00] 0a . . 0 .
[Attitude=1,00] 1.018 1.298 .615 1 .433 [Attitude=2,00] 0a . . 0 . IV.

DISCUSSION Nurse knowledge about hand washing in emergency room of general hospital of Mokopido, Toli – Toli. Knowledge is the result of knowing after someone observes certain object (Wawan , 2011). The result of the research on the variable of nurse knowledge about hand washing in emergency room of general hospital of Mokopido, Toli – Toli was found that most of them had enough knowledge were 15 respondents (65.2%). The description of the knowledge could viewed questino It hand g the y e y prevent ectiwhile n tal.”

e ere8 we g, onnaire no 8, it state d, hand atreng ent protepatifrom carribnuh wsti respostatinwronaboitlt that most of respondents had lack of knowledge in understanding hand washing. According to researcher, based on the research result, it was found that most nurses in emergency room of Mokopido general hostpital of toil toil had enough knowledge, because most respondents did not think that **hand washing is one of the** way to prevent infection in a hospital where as hand washing is a fix and main standard to do as personal protection from infection.

Some respondents also did not think that hand washing before touching things around patient was important where as it **is one of the** step point of five movement of hand washing. Nurse’s ittowardhand g emegeny of alhospirof Mokopido, Toli – Toli. Attiis closed to mular both ern exso the manifestation cannot be implied first from that introvert behavior.

Attitude, in realty, shows a balance response to certain stimulus (Sunaryo, 2004). The result of research on nurse’s itvariableabout washing emergencroom genhospirof Mokopido, Toli – Toli shows that most respondents having attitude in enough category were 16 respondents (69.6%). From the research result, it was found that most respondents having attitude in enough categories could be seen from the result of questionnaire.

It showed that mostrespondents ed point 4. stated,” does need wash her b soap.” point8, e 17 aeelinwith statement,while h washing,itdoes nd put g h Thr this questionnaire would be able to depict the behavior of most respondents. It is affected by culture around respondents. Based on the result of the research, it is known that most respondents are civil employee, 12 respondents (52.2%).

Many people argue **The 2nd Joint International Conferences |**
<http://proceeding.tenjic.org/jic2> | ISBN: 978-602-5842-03-0 Vol. 2, No. 2, July 2018, pp.

770-776 774 that civil employee have bad job. It will influence other civil employee to do the same thing when they see one of civil recent are in enough category attitude.

According to researcher, most respondents are in enough attitudes. It was proved that respondents thought that it did not need to wash hand by soap. As we know that in the main requirement of effective 7 steps of hand washing uses soap and under water fall. In other hand, most respondents also thought that they did not need to put the ring and watch off while washing altgh the step, mentioned, "two sl", on seventh n wristin It eansthat y e put atch g f while washing hand. Nurse's ehavior f and g em emergency room of general hospital of Mokopido, Toli – Toli.

The esearesultofthvaonnursebehofhand g genc room of general hospital of Mokopido, Toli – Toli was foundt resr having disobedience category were 19 respondents (82.6%), while the least ones were 4 respondents (17.4%). The research result stated that most respondents had disobedience behavior. It could be influenced by knowledge factors. Based on the research result, it is known that most respondents' geis enough atey.It e ediebehlt strengthened by Notoadmojo theory (2011). He states that knowledge is reached from learning process.

Learning is a behavior establishment resulted from life pratices. Barelson, 1964, laso states that learning is behavior change resulted by previous behavior. The effect of knowledge and attitude toward hand washing behavior in emergency room of general hospital of Mokopido, Toli – Toli. The variable of knowledge is found that p-value was $0.000 < @ 0.05.$, so H_0 is rejected.It ans this ect knotowanursbavior emegenc room of general hospital of Mokopido, Toli – Toli, while the attitude variable was found that p value was $0.435 > @ 0.05$, so H_1 is accepted. It means that there was effect of attitude toward nursen emergceitdo, Toli – Toli.

The result of analyses, using ordinal regression analyses, was found that knowledge variable was in good category for each unit increase. Odds can influence behavior 18.5 times as many as knowledge in enough category, with the assumption all variable were in constant model. attude ble, attude did give signfica nt effect to somon in ng ehavior. Based on this research result, it is known that knowledge has strong correlation.

Knowledge or cognitive is an important domain to form behavior. Behavior based on knowledge will be durable. According to researcher, knowledge factors will give someone systematic process started from stimulus awareness, then soul consideration, so it impacts that stimulus. Positive min will make subject form his/her behavior. V.
CONCLUSION AND SUGGESTION Conclusion 1.

Nurse's knowledge about emergency of general hospital of Mokopido, Toli – Toli was found that most of them in enough category were 15 respondents (65.2%). 2. Nurse's about washing behavior of general hospital of Mokopido, Toli – Toli was found that most respondents having enough category were 16 respondents (69.9%). The 2nd Joint International Conferences | <http://proceeding.tenjic.org/jic2> | ISBN: 978-602-5842-03-0 Vol. 2, No. 2, July 2018, pp. 770-776 775 3.

Nurse's behavior in general hospital of Mokopido, Toli – Toli was found that most respondents having disobedience behavior were 19 respondents (82.6%). 4. The analyses result of knowledge variable was found that p value was $0.000 < @0.05$, so was It that is effect toward behavior in emergency room of general hospital of Mokopido, Toli – Toli, while the attitude variable was found that p value was $0.435 > @ 0.05$, so H_0 is accepted. It means there is no effect attitude nurse behavior emergency of general hospital of Mokopido, Toli – Toli. Suggestions 1.

For respondents The research result is hoped that it can motivate nurses to increase obedience behavior by increasing knowledge and nurse attitude. 2. For general hospital of Mokopido, Toli – Toli. It is hoped that general hospital of Mokopido, Toli – Toli can conduct training for its nurse to increase knowledge and attitude in order to be able to change the behavior of obedience of hand washing.

After conducted training, hospital stick holder should supervise nurse once in three months to control how far nurse's obedience was 3. For next researcher The next researcher wanting to research the same idea can discuss and connect some other factors such as perception, motivation, and emotion affecting the behavior of hand washing, so this research can be one of qualified references.

The result of regression analysis gained on knowledge variable, that the score p-value $(0,000) < \alpha(0,05)$ so, H_0 is rejected, means that an influence on hand washing behavior of nurse in the emergency unit of Mokopindo Toli Toli hospital. While, on the attitude variable known that the score of p-value $(0,000) (0,05)$, so H_1 is accepted, it means that there is no influence of attitude on nursing behavior of emergency unit of Mokopindo Toli Toli hospital. VI. REFERENCE [1] Afiyanti & Rachmawati. 2014. Metodologi Penelitian Kualitatif dalam Riset Keperawatan.

Jakarta : PT RajaGrafindo Persada. [2] Ardiansah. 2016. Skripsi perilaku cuci tangan perawat dalam melakukan tindakan keperawatan di RSUD Anutapura. [3] Arikunto, S. 2012. Prosedur Penelitian: Suatu Pendekatan Praktek. Rineka Cipta. Jakarta. [4] Azwar. 2011. Sikap Manusia: Teori dan Pengukurannya. Pustaka Pelajar. Yogyakarta. [5] Darmadi, S. 2008. Infeksi Nosokomial Problematika & Pengendaliannya. Salemba

Medika. Jakarta. [6] Depkes RI. 2007.

Riset Kesehatan Dasar (Riskesdas) Tahun 2007. Jakarta. 2010. Metode Penelitian Kesehatan Paradigma Kuantitatif. Heath Book. Jakarta. The 2nd Joint International Conferences | <http://proceeding.tenjic.org/jic2> | ISBN: 978-602-5842-03-0 Vol. 2, No. 2, July 2018, pp. 770-776 776 [7] Hidayat. 2017. Metode Penelitian Kesehatan dan Keperawatan. Jakarta: Salemba Medika. [8] Hutahaeen. 2010. Konsep Dan Dokumentasi Keperawatan. Trans Info Media. Jakarta.

[9] Kurnianingsih, D. J. S. 2013. Efektifitas Terapi Musik Klasik Terhadap Penurunan Stres Kerja Perawat IGD Di RSUD DR. R. Goetheng Taroenadibrata Purbalingga Tahun 2013. Ilmu Keperawatan Universitas Muhammadiyah. Purwokerto. [10] Kusyati, E. 2010. Keterampilan dan Prosedur Laboratorium. EGC. Jakarta. [11] LPPM STIKes Surya Mitra Husada. 2016. Pedoman Penulisan Usulan Penelitian Dan Skripsi. Kediri ; Lembaga Penelitian Dan Pengabdian Masyarakat.

2012. Promosi Kesehatan dan Perilaku Kesehatan. Rineka Cipta. Jakarta. [12] Notoadmojo. 2015. Metodologi Penelitian Kesehatan. Jakarta ; Salemba Medika. [13] Nursalam. 2016. Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan. Jakarta: Salemba Medika. [14] Nurul. 2009. Gambaran Perilaku Cuci Tangan Perawat Selama Pelaksanaan Tindakan di Ruang Asy – Syfa Bangsal Penyakit Dalam RSI amal Sehat Sragen. Keperawatan Sragen.

[15] Pittet, D., Allegranzi, B. 2009. Role of Hand Hygiene in Healthcare Associated Infection Prevention. www.etd.repository.ugm.ac.id. Diakses tanggal 12 Agustus 2016. [16] Potter dan Perry. 2010. Fundamental Keperawatan Buku3. Edisi 7. Salemba Medika. Jakarta. [17] Priandika, A. S. 2015. Hubungan antara Kepatuhan Prosedur Cuci Tangan Perawat dan Penggunaan Sarung Tangan dengan Kejadian Phlebitis di RSUD Dr. Soedirman Kabupaten Kebumen. STIKES Muhammadiyah.

Gombong. [18] Proverawati dan Rahmawati. 2012. Perilaku Hidup Bersih dan Sehat (PHBS).Nuha Medik. Yogyakarta. [19] RSPI Prof. Dr. Sulianti Saroso. 2007. Cuci Tangan Cara Mudah Cegah Penyakit. www.infeksi.com. Diakses tanggal 12 Agustus 2016. [20] RSUD Mokopido. 2016. Profil Rumah Sakit Umum Daerah Mokopido. Tolitoli [21] World Health Organization. 2009. Hand Hygiene: Why, How & When?. http://who.int/gpsc/5may/Hand_Hygiene_Why_How_and_When_Brochu_re.pdf.

Diunduh tanggal 20februari 2017.

INTERNET SOURCES:

<1% - quizlet.com/26258051/infection-control-12-flash...
2% - proceeding.tenjic.org/jic2/index.php/jic2/article/...
<1% - www.ncbi.nlm.nih.gov/pmc/articles/PMC4190714
<1% - www.coursehero.com/file/23084657/hand-washing
<1% - www.researchgate.net/publication/260021421_A...
<1% - eprints.ums.ac.id/14781/15/DAFTAR_PUSTAKA.pdf
<1% - jurnal.stikesperintis.ac.id/index.php/PSKP/...
<1% - repository.unissula.ac.id/7251/11/DAFTAR_PUSTAKA.pdf
<1% - www.slideshare.net/.../modul-1-dokumen-keperawatan
1% - issuu.com/bimkes1516/docs/bimiki_volume_4_nomor_2/68
1% - proceeding.tenjic.org/jic2/index.php/jic2/article/view/157
<1% - scholar.unand.ac.id/38713/9/DAFTAR_PUSTAKA.pdf
1% - repository.um-surabaya.ac.id/81/1/PENDAHULUAN.pdf
<1% - www.ncbi.nlm.nih.gov/pubmed/19720430
<1% - e-journal.unair.ac.id/PROMKES/article/view/5809/3718