



# Plagiarism Checker X Originality Report

**Similarity Found: 8%**

Date: Thursday, July 02, 2020

Statistics: 208 words Plagiarized / 2690 Total words

Remarks: Low Plagiarism Detected - Your Document needs Optional Improvement.

---

EFFECT OF THE SIMULATION OF BASIC LIFE SUPPORT (BLS) TO IMPROVE THE SKILLS AMONG STUDENTS OF THE NURSING AT KARSA HUSADA BATU HOSPITAL Novita Ana Anggraini , \*Rahmania Ambarika Lecturer of Health Science Institute of Surya Mitra Husada Kediri, East Java, Indonesia \*Corresponding Email: rahmania.ambar@gmail.com  
ABSTRACT **Basic Life Support is** an emergency measure to make the airway, breathing without obstruction and helps maintain blood circulation without using tools.

Student nurses perform nursing profession must have the skills **to perform basic life support** Basic Life Support. Help in Improving Basic Life Skills Student Nursing profession in the Implementation of Basic Life Support in **RSU Karsa Husada Batu** The study design was quasi (quasi-experimental designs) to design one group pre test and post test. Data collection tools with observation sheet with a sample of 30 respondents using random sampling techniques.

The independent variable in this study is the Simulation **Simulated Basic Life Support** and the dependent variable in this study is the student skills in performing **Simulated Basic Life Support**. Data were analyzed using the Wilcoxon statistical testsigned rank test with.0 Results showed before getting **simulated basic life support** skills of the respondents have enough skill as much as 46.7% (14 respondents) and after getting simulated basic life support skills of respondents, 76.73% (23 respondents). Based on Wilcoxon test signed rank test (Asym.p Sig.

2 tailed)earned value0,000. Because the value of 0,000 is less than  $<0.05$ . **It can be concluded that** there Effect Simulation Help In Improving Basic Life Skills Nursing Profession Student Assistance in Implementing the Basic Life in RSU Karsa Husada Batu.

Students of the nursing profession who have obtained basic aid simulation have good skills increases due to learning their simulations to the knowledge and practice in performing basic life support. Keywords: BLS, SKILLS STUDENT, NURSING

INTRODUCTION Emergency events usually take place quickly and suddenly so it is difficult to predict when they will occur.

The best step for this situation is to be vigilant and make concrete efforts to anticipate it. It must be considered a form of assistance mechanism to victims from the beginning of the scene, during the trip to health facilities, health facilities assistance until after the injury event (American Red Cross, 2015).

As a 24-hour rescue service provider, nurses are required to provide fast, precise and accurate services with the aim of getting healing without disability. Therefore nurses need to equip themselves with knowledge and need to improve specific skills related to emergency cases (Maryuani, 2009) Basic life support knowledge (BHD) is considered a basic skill for nurses (Parajulee & Selvaraj, 2011).

Basic life support skills (BHD) are important because they are taught about the basic techniques of rescuing victims from various accidents or everyday calamities that are commonly encountered (AHA, 2015) Basic life support is an emergency measure to free the airway, help breathing and maintain blood circulation without using assistive devices (Alkatiri, 2007).

The purpose of basic life assistance is to effectively oxygenate emergencies to vital organs such as the brain and heart through artificial ventilation and artificial circulation until the lungs and heart can provide oxygen with their own strength normally (AHA, 2015). Accredited hospitals are obliged to provide education and training in basic life support (BHD) for both medical personnel and non-medical personnel.

The ability to do basic life assistance must be owned by every employee in the hospital, both medical personnel include doctors, nurses and midwives, but also non-medical workers such as parking attendants, cleaning services and kitchen employees and other elements in the hospital, including students who conduct clinical practice at RSU Karsa Husada Batu.

So that it can implement the Code Blue System, which is a strategy to prevent the occurrence of cardiac arrest, emergency activation and emergency resuscitation. In emergency hospitals it is not only experienced by patients, but also can occur in the families of patients, visitors and Hospital employees. From the results of the study by Chandrasekaran et al in 2010 in India showed that 31% of the medical community,

nursing students, dental students and medical students did not know the abbreviation of BLS which was a Basic Life Support, 51% failed to make a rescue effort as a starting point in basic life assistance, and 74 % do not know the exact location for chest compression in basic life support measures.

Nurse education is divided into two stages: the academic education stage and the professional education stage. At the academic stage students get theories and concepts in this stage divided into groups that are general in nature, supporting subjects such as medical courses that indirectly support nursing courses and expertise courses in nursing courses.

while at the profession stage students apply the theories and concepts that have been gained during academic. Professional education is sometimes referred to as a clinical learning process. This term appears related to the implementation of professions that are fully implemented in practice lands such as hospitals, health centers, maternity clinics, nursing homes, and families and communities or communities.

During clinical practice, students can experiment by using concepts and theories to practice, solve problems, and develop new forms of care (Wahit, et al, 2007). From the results of observations and interviews of researchers during a preliminary study at Karsa Husada Batu Hospital, Code Blue incident data was obtained between 25-37 times a month and 25% of them required basic life assistance measures.

In addition, from the report of the room where there are patients who need BHD and nurses need help from students in carrying out BHD actions in obtaining information on the lack of skills of students in helping to do Basic Life Support. From the description above, researchers are interested in conducting research with the title "Effectiveness of Basic Life Support Simulation (BHD) in Efforts to Improve the Skills of Nursing Students in Basic Life Support (BHD) in Karsa Husada Batu Hospital" PURPOSE To find out the effect of giving basic life Support simulation (BHD) in an effort to improve the skills of the nursing profession students in the implementation of basic life Support (BHD) at Karsa Husada Batu Hospital.

Special purpose : 1. Identify the skills of nursing profession students about basic life Support before being given a basic life Support simulation (BHD) of Karsa Husada Batu Hospital. 2. Identify the skills of nursing profession students about basic life Support after being given a basic life Support simulation (BHD) of Karsa Husada Batu Hospital.

3. Analyzing the influence of Basic Life Support Simulation (BHD) in Efforts to Improve the Nursing Profession Student Skills in Basic Life Support (BHD) in Karsa Husada Batu

Hospital. METHODE In this study, researchers used quasi-experimental methods (quasi experiment designs) with the design of one group pre test and post test.

And in this design do not use a control group or comparison group. The population in this study were all S1 Nursing Professional Students at Karsa Husada Batu General Hospital as many as 32 people. The sampling technique in this study uses accidental sampling. The data obtained were analyzed by researchers using Wilcoxon statistical tests.

RESULT Based on picture 1, it can be seen that out of 30 respondents, most of them were aged between 21-22 years, 53% Pict. 1 Characteristics of Respondents by Age Based on picture 2, it can be seen that out of 30 respondents, the majority of respondents were 60% female Pict. 2 Characteristics of Respondents by Sex Based on picture 3 it can be seen that out of 30 respondents, the majority of 73% came from institution A.

Pict 3 Characteristics of Respondents by education Series1, 19 -20 Tahun, 2, 7% Series1, 21 - 22 Tahun, 12, 40% Series1, 23 - 24 Tahun, 16, 53% 19 -20 Tahun 21 - 22 Tahun 23 - 24 Tahun Series1, Laki - Laki, 12, 40% Series1, Perempuan, 18, 60% Laki - Laki Perempuan Based on picture 4 it can be seen that out of 30 respondents, most of the 73% respondents have never attended basic life assistance training and the like. Pict.

4 Characteristics of Respondents by training of BLS Research on the Influence of Basic Life Support Simulation (BHD) in Efforts to Improve the Skills of Nursing Professional Students in Basic Life Support Implementation (BHD) at Karsa Husada Batu Hospital, researchers used data collection techniques by observing basic life support actions before and after giving basic life support simulations .

Observations carried out included basic life support steps starting from the first step of securing the scene, the second step examining the victim's response, the third step activating the emergency care Series1, Institusi A, 22, 73% Series1, Institusi B, 8, 27% Institusi A Institusi B Series1, Ya, 8, 27% Series1, Tidak, 22, 73% Ya Tidak system, step four checking circulation and breathing, step five chest compression, step six open the airway, step seven check breathing, step eight provide breath aid, step nine re-evaluate up to step ten position the patient steady position Skills of Nursing Profession Students in Implementing Basic Life Support Before Simulation Based on table 1 It is known that out of 30 respondents almost half of the respondents had enough basic life. support skills as enough as 46.7% (14 respondents) Skills of Nursing Profession Students in Implementing Basic Life Support after Simulation Table 1 : No Skill N % 1 Good 3 10 2 Enough 14 46,7 3 Less 13 43,3 Total 30 100 Based on table 2 it can be seen that out of

30 respondents most of them had good basic life support skills as enough as 76.7% (19 respondents) Table 2: No Skill N % 1 Good 23 76,7 2 Enough 7 23,3 3 Less 0 0,0 Total 30  
 100 Analisa of Data Statistical Test Results of the Influence of Basic Life Assistance Simulation in Efforts to Improve the Skills of Nursing Profession Students in Basic Life Assistance Implementation at RSU Karsa Husada Batu.

(Wilcoxon) Table 3: Wilcoxon Signed Ranks Test Test Statisticsb Nilai\_Posttest - Nilai\_Pretest Z -4.714a Asymp. Sig. (2-tailed) .000 a. Based on negative ranks. b. Wilcoxon Signed Ranks Test Based on the results of Test Statistics the test of wilcoxon signed rank test (Asym.p Sig. 2 tailed) obtained a value of 0,000. Because the value of 0,000 is less than  $<0.05$ , it can be concluded that "H1 is accepted".

This means that there are differences in the results of BHD skills for pre-test and post-test. So that it can be concluded that there is an Influence of Basic Life Support Simulation in Efforts to Improve the Skills of Nursing Profession Students in Basic Life Assistance Implementation at RSU Karsa Husada Batu.

DISCUSSIONS The results showed that the skills of nursing profession students before the provision of basic life support simulations were almost half of the respondents' skills were sufficient as much as 46.7% (14 respondents). This is supported by the majority of respondents aged 22-23 as many as 53% (16 respondents), the majority of respondents were women as much as 60% (18 respondents), student education institutions mostly from universities A as much as 73% (22 respondents ) and most have never attended BHD training 73% (22 respondents) Basic life support knowledge (BHD) is considered a basic skill for nurses (Parajulee & Selvaraj, 2011).

Basic life support skills (BHD) are important because they are taught about the basic techniques of rescuing victims from various accidents or everyday calamities that are commonly encountered (American Red Cross, 2015) From the description above, it can be concluded that the skills of the nursing profession students in providing basic life support are as many as 14 respondents and less than 13 people.

This is because the age of the early adult respondents had already received basic life assistance materials. The results showed that the skills of students after giving a simulation of basic life assistance were as much as 76.7% Good (23 respondents). This is supported by the following observations of basic life assistance measures; the first step is to secure the scene 86.7%, the second step checks the response of victims 74.2%, the third step activates the emergency service system 81.3%, step four checks circulation and breath 81.1%, step five chest compression 90.8%, step six opens the airway 50%, step seven checks breathing 95%, step eight gives breath relief 96.7%, step nine

performs 96.7% re-evaluation and step ten positions the patient position 96.7% solid.

According to Joyce and Weil (1980), this model has the following four stages; In the first step of Orientation, this stage researchers prepare simulation topics, principles and simulation processes. Second step Exercise for participants, including explanation of scenarios, division of simulation plays and short practice. Third step Simulation process, carrying out activities and feedback on misconceptions.

Fourth step Strengthening and debriefing where researchers provide a summary of learning From the description above it can be concluded that the skills of students after the provision of basic life assistance simulations are as much as good as many as 23 respondents and enough 7 respondents. This is supported by the ability of students in understanding basic life assistance simulation learning. CONCLUSIONS AND RECOMMENDATIONS Conclusion 1.

The skills of nursing professional students regarding basic life support before being given a simulation of basic life support at Karsa Husada Batu General Hospital were found to be sufficiently as much as 46.7% (14 respondents). 2. The skills of nursing professional students regarding basic life support after being given a simulation of basic life support at Karsa Husada Batu Hospital were mostly good as much as 76.7% (23 respondents). 3.

There is an Influence of Basic Life Assistance Simulation in Efforts to Improve the Skills of Nursing Profession Students in Basic Life Assistance Implementation at RSU Karsa Husada Batu. Suggestion 1. For Respondents Given the importance of basic life assistance skills, it is necessary to have periodic training to maintain and improve the ability to provide basic life assistance. 2.

For RSU Karsa Husada Batu Especially for RSU Karsa Husada Batu, the results of this study can be used as a reference in accepting students to practice the nursing profession to be skilled in providing basic Life Assistance. 3. For educational institutions Educational institutions should provide training to students who will carry out clinical practice in health institutions. 4.

For Next Researchers The next researcher should be able to refine and develop this research by giving a control group with concepts that have been running in the Hospital, for example by making a research title "Effectiveness of Basic Life Assistance Simulation on Health Student Assistance Skills" REFERENCES A. Aziz Alimul Hidayat (2007). Nursing Research and Scientific Writing Techniques. Salemba Medika. Jakarta Alkatiri, J., Bakri Syakir. 2007. Resusitasi Jantung Paru.

Dalam: Sudoyo, Aru S., dkk (editor). Buku Ajar Ilmu Penyakit Dalam. Edisi IV. Jilid I. Jakarta: Pusat Penerbit Departemen Ilmu Penyakit Dalam FK UI American Red Cross. Basic Life Support for Healthcare provider. 2015 Anitah, Sri, W, dkk. (2007) strategi pembelajaran di SD. Jakarta: universitas Terbuka. American Heart Association. 2015 AHA guideline update for CPR and ECC. Circulation Vol. 132. 2015 (<https://eccguidelines.heart.org>) diakses pada 29 April 2017. Bruce Joyce & Marsha Weil. 1996. Models Of Teaching. Boston, London, Toronto, Sydney, Tokyo, Singapore: Prentice-Hall, Inc.

Chandrasekaran, S., et al. 2010. Awareness of Basic Life Support Among Medical, Dental, Nursing Students and Doctors. India J Anaesth v.54 (2) 121-126 Dr. Sugiyono. (2003). Metode Penelitian Bisnis. CV. Alfabeta. Bandung Elizaberh, B. Hurlock. 1980. Psikologi Perkembangan. (Jakarta: Erlangga). Muhammad Annahri. Bantuan Hidup dasar (BHD) AHA 2015 (<http://pertolonganpertamaku.blogspot.co.id/2016/03/bantuan-hidup-dasar-bhd.html>) diakses 27 Maret 2017 Maryunani anik, dkk. 2009.

Asuhan Kegawatan Dan Penyulit Pada Neonatus. Jakarta: Trans Info Medika. Parajulee, S., & Selvaraj. (2011). Knowledge of Nurse towards Cardiopulmonary Resuscitation in tertiary care teaching hospital in Nepal. Journal of clinical and diagnostic research, 5(8). 1585-1588 S.

Dahlan (2014) pengaruh pendidikan kesehatan tentang bantuan hidup dasar (BHD) terhadap tingkat pengetahuan tenaga kesehatan di puskesmas Wori kabupaten Minahasa Utara (<http://download.portalgaruda.org/article.php>) diakses pada 4 November 2017 Syaefudin, Udin., Syamsudin, Abin. (2005). Perencanaan Pendidikan pendekatan komprehensif. Bandung: PT Remaja Rosdakarya Sanjaya, Wina (2007). Strategi Pembelajaran Berorientasi Standar Proses Pendidikan. Bandung: Kencana Wahit Iqbal Mubarak, Dkk (2007).

Health Promotion an Introduction to the Teaching and Learning Process in Education. Graha Ilmu. Yogyakarta. Winataputra, Udin S. 2001. Model-model pembelajaran Inovatif. Universitas terbuka, Jakarta. Yayasan Jantung Indonesia. Basic Life Support (Bantuan Hidup Dasar). (Online). (<http://www.inaheart.or.id/bantuan-hidup-dasar/>) diakses 27 Maret 2017

INTERNET SOURCES:

-----  
<1% -



<https://www.nursingtimes.net/clinical-archive/cardiovascular-clinical-archive/performing-basic-life-support-07-10-2003/>

<1% - <https://iopscience.iop.org/issue/1742-6596/1157/3>

<1% -

<https://www.thefreelibrary.com/Learning+advanced+cardiac+life+support%3a+a+comparison+study+of+the...-a0198994356>

<1% -

[https://www.researchgate.net/publication/5807869\\_Does\\_Active\\_Rescuer\\_Ventilation\\_Have\\_a\\_Place\\_During\\_Basic\\_Cardiopulmonary\\_Resuscitation](https://www.researchgate.net/publication/5807869_Does_Active_Rescuer_Ventilation_Have_a_Place_During_Basic_Cardiopulmonary_Resuscitation)

1% - <https://www.ncbi.nlm.nih.gov/pubmed/22735507>

<1% -

<https://ercguidelines.elsevierresource.com/european-resuscitation-council-guidelines-resuscitation-2015-section-3-adult-advanced-life-support/fulltext>

<1% - [http://assets.navigate.s3.amazonaws.com/emt\\_10ed/ch09/Chapter\\_09.doc](http://assets.navigate.s3.amazonaws.com/emt_10ed/ch09/Chapter_09.doc)

1% -

<https://www.agoda.com/id-id/hotels-near-rumah-sakit-tuberkulosa-paru/attractions/malang-id.html>

<1% -

[https://www.researchgate.net/publication/8387567\\_In-hospital\\_cardiac\\_arrest\\_Survival\\_depends\\_mainly\\_on\\_the\\_effectiveness\\_of\\_the\\_emergency\\_response](https://www.researchgate.net/publication/8387567_In-hospital_cardiac_arrest_Survival_depends_mainly_on_the_effectiveness_of_the_emergency_response)

<1% - <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6314607/>

<1% - [https://www.unipage.net/en/education\\_france](https://www.unipage.net/en/education_france)

<1% - [https://en.wikipedia.org/wiki/Job\\_training](https://en.wikipedia.org/wiki/Job_training)

<1% - <http://samicoh2018.interconf.org/kfz/pages/abstracts1.php>

<1% -

[https://www.researchgate.net/post/When\\_is\\_not\\_necessary\\_to\\_use\\_a\\_control\\_group\\_in\\_an\\_experimental\\_research](https://www.researchgate.net/post/When_is_not_necessary_to_use_a_control_group_in_an_experimental_research)

<1% - [https://jik.ub.ac.id/index.php/jik/oai?verb=ListRecords&metadataPrefix=oai\\_dc](https://jik.ub.ac.id/index.php/jik/oai?verb=ListRecords&metadataPrefix=oai_dc)

<1% - [http://repositori.usu.ac.id/feed/rss\\_2.0/123456789/1092](http://repositori.usu.ac.id/feed/rss_2.0/123456789/1092)

<1% -

[https://issuu.com/lufsi/docs/causes\\_and\\_duration\\_of\\_unemployment\\_and\\_social\\_exc](https://issuu.com/lufsi/docs/causes_and_duration_of_unemployment_and_social_exc)

<1% - <https://iopscience.iop.org/issue/1757-899X/536/1>

<1% - <https://www.scribd.com/document/332281801/Laporan-Field-Study-1>

<1% -

[https://www.researchgate.net/publication/290634516\\_Post\\_-\\_Privatization\\_Performance\\_of\\_Jordanian\\_Firms\\_in\\_Terms\\_of\\_Ownership\\_Structure\\_and\\_Sector](https://www.researchgate.net/publication/290634516_Post_-_Privatization_Performance_of_Jordanian_Firms_in_Terms_of_Ownership_Structure_and_Sector)

<1% -

[https://www.ajhtl.com/uploads/7/1/6/3/7163688/article\\_25\\_vol\\_9\\_2\\_2020\\_indonesia.pdf](https://www.ajhtl.com/uploads/7/1/6/3/7163688/article_25_vol_9_2_2020_indonesia.pdf)

<1% -

[https://www.researchgate.net/publication/332632583\\_Effect\\_of\\_using\\_Geogebra\\_on\\_seni](https://www.researchgate.net/publication/332632583_Effect_of_using_Geogebra_on_seni)



or\_high\_school\_students'\_performance\_in\_circle\_theorems

<1% -

[https://slidelegend.com/report-to-the-legislature-wyoming-legislature\\_5b226f35097c4782408b4574.html](https://slidelegend.com/report-to-the-legislature-wyoming-legislature_5b226f35097c4782408b4574.html)

<1% - [https://en.wikipedia.org/wiki/Public\\_opinion\\_of\\_same-sex\\_marriage\\_in\\_Australia](https://en.wikipedia.org/wiki/Public_opinion_of_same-sex_marriage_in_Australia)

<1% - <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5923753/>

<1% -

[https://www.researchgate.net/publication/327049160\\_The\\_effects\\_of\\_empathy\\_skills\\_training\\_on\\_nursing\\_students'\\_empathy\\_and\\_attitudes\\_toward\\_elderly\\_people](https://www.researchgate.net/publication/327049160_The_effects_of_empathy_skills_training_on_nursing_students'_empathy_and_attitudes_toward_elderly_people)

<1% - <https://www.instagram.com/p/B26yJVvnuBG/>

<1% - <https://icosi.umi.ac.id/2019/wp-content/uploads/2020/04/isb8januari.pdf>

1% - <https://id.scribd.com/doc/251180794/Kegawatdaruratan-Medik-Dental>

1% - <http://repository.unissula.ac.id/7342/11/DAFTAR%20PUSTAKA.pdf>

1% - <https://jurnal.stikesperintis.ac.id/index.php/JKP/article/view/143>

1% -

<https://farizadlanblog.wordpress.com/2017/03/27/perbedaan-antara-board-of-director-board-committes-board-power-dan-board-composition-dalam-implmentasiko-konteks-good-corporat-governance-di-indonesia/>